



Quality Control Documentation

System Type
Resin Flooring

Product
Terraflake – with Revathane Topcoats
Terraflake – with Supadeck UV Clear Topcoats
Terraflake – with Aquaglaze UV Topcoats

Bondlast | Document QC.RF.1 - Quality Control Sheet – Terraflake

This sheet is to be completed by the Site Supervisor and a copy provided to the client at the completion of the Contract.
 This form is used in conjunction with the QC RF.2 site checklist, and the QC RF.3 mix control sheet.
 All forms are to be filed in the appropriate manner and are to be made available to DGL Bondlast Construction Products as required.

PROJECT														
Project:	Owner(s):	Builder:												
Name:	Name:	Name:												
Address:	Address:	Address:												
Suburb:	Suburb:	Suburb:												
City:	City:	City:												
Location of Installation on Site:	Owners Contact Details:	Builders Contact Details:												
Area 1:	Phone:	Phone:												
Area 2:	Mobile:	Mobile:												
Area 3:	Email:	Email:												
Area 4:														
BONDLAST CONSTRUCTION PRODUCTS CONTRACTOR														
Contracting Company:	The Contractor is on the list of approved Bondlast Applicators for this installation:	Contractor Site Supervisor(s):												
Name:	<input type="checkbox"/> Yes	Name:												
Address:	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%;">Contractor Licence #</td> <td style="width: 50%;"></td> </tr> <tr> <td>Date of Expiry</td> <td></td> </tr> </table>	Contractor Licence #		Date of Expiry		Name:								
Contractor Licence #														
Date of Expiry														
Suburb:	<input type="checkbox"/> No	Name:												
City:		Name:												
Installation Team:	Date Started:	Date Completed:												
Name:														
Name:	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 33%; text-align: center;">Day</td> <td style="width: 33%; text-align: center;">Month</td> <td style="width: 33%; text-align: center;">Year</td> </tr> <tr> <td> </td> <td> </td> <td> </td> </tr> </table>	Day	Month	Year				<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 33%; text-align: center;">Day</td> <td style="width: 33%; text-align: center;">Month</td> <td style="width: 33%; text-align: center;">Year</td> </tr> <tr> <td> </td> <td> </td> <td> </td> </tr> </table>	Day	Month	Year			
Day	Month	Year												
Day	Month	Year												
Name:														
Name:														
Name:														
Name:														
Name:														
Name:														
PRODUCT														
System Installation Type:	System Specified Finished Thickness:	System Application Process:												
<input type="checkbox"/> Terraflake -Standard Flakes <input type="checkbox"/> Terraflake Standard Flake – Installed in Tile Pattern <input type="checkbox"/> Terraflake – Hybrid Flake <input type="checkbox"/> Terraflake Hybrid Flake – Installed in Tile Pattern <div style="background-color: #cccccc; padding: 2px;">Colour</div>	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 33%;">Minimum</td> <td style="width: 33%; text-align: center;">0.9</td> <td style="width: 33%; text-align: center;">mm</td> </tr> <tr> <td>Actual</td> <td></td> <td>mm</td> </tr> </table>	Minimum	0.9	mm	Actual		mm	<input type="checkbox"/> Surface Preparation <input type="checkbox"/> Primer <input type="checkbox"/> Terraflake <input type="checkbox"/> Non-Slip Profile (if required) <input type="checkbox"/> Selected Topcoats						
Minimum	0.9	mm												
Actual		mm												
Surface Finish Type:	Topcoats:	Floor Joint & Penetration Systems Used:												
<input type="checkbox"/> Standard Smooth Finish <input type="checkbox"/> Smooth with Revtred Non-Slip to some areas <input type="checkbox"/> Revtred Non-Slip Finish - to all areas <input type="checkbox"/> Smooth with Microcell Non- Slip to some areas <input type="checkbox"/> Microcells Non-Slip Finish - to all area <input type="checkbox"/> Other (Please Specify)	<div style="background-color: #cccccc; padding: 2px; text-align: center;">Topcoat Type</div> <input type="checkbox"/> Revathane <input type="checkbox"/> Supadeck UV Clear <input type="checkbox"/> Aquaglaze UV <div style="background-color: #cccccc; padding: 2px; text-align: center;">Number of Topcoats</div> <input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3 <input type="checkbox"/> 4 <input type="checkbox"/> 5 <input type="checkbox"/> Other (Please Specify)	<div style="background-color: #cccccc; padding: 2px; text-align: center;">Floor Joint Sealant</div> <input type="checkbox"/> Sabrebond SMP 60 <input type="checkbox"/> K130 <input type="checkbox"/> Other (Please Specify) <input type="checkbox"/> Not Applicable <div style="background-color: #cccccc; padding: 2px; text-align: center;">Cove Strip and Penetration Sealant</div> <input type="checkbox"/> Sabreseal CR <input type="checkbox"/> Other (Please Specify) <input type="checkbox"/> Not Applicable												

FLOOR CONSTRUCTION

Substrate:	Substrate – Installation Date:	Falls in substrate correct:						
<input type="checkbox"/> New Concrete <input type="checkbox"/> Existing Concrete <input type="checkbox"/> Plywood <input type="checkbox"/> Fibrecement <input type="checkbox"/> Other (Please Specify)	<table border="1" style="width: 100%;"> <tr> <td style="width: 33%; text-align: center;">Day</td> <td style="width: 33%; text-align: center;">Month</td> <td style="width: 33%; text-align: center;">Year</td> </tr> <tr> <td> </td> <td> </td> <td> </td> </tr> </table> <input type="checkbox"/> Information unobtainable	Day	Month	Year				<input type="checkbox"/> Yes <input type="checkbox"/> No If no refer to Prefill section
Day	Month	Year						

WALL | UPSTAND DETAILS

Wall Details:	Coves / Upstands required:	Wall to floor junction detail – Fibreglass Reinforcement:
<input type="checkbox"/> Insitu Concrete / Concrete Panel <input type="checkbox"/> Concrete Block <input type="checkbox"/> Insulated Panel <input type="checkbox"/> Plywood <input type="checkbox"/> Fibrecement <input type="checkbox"/> Other (Please Specify) <input type="checkbox"/> Not Applicable	<input type="checkbox"/> Yes <input type="checkbox"/> No If yes: height required <input type="text"/> mm Cove radius required <input type="text"/> mm	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Applicable

Cove Matrix Type:	Cove Capping:	Cove Installation:
<input type="checkbox"/> Supascreed <input type="checkbox"/> Rapid Patch 40 (Small fillet coves only) <input type="checkbox"/> Other (Please Specify) <input type="checkbox"/> Not Applicable	<input type="checkbox"/> STZ Coving Strip 5.2mm <input type="checkbox"/> STZ Coving Strip 9.2mm - rebate <input type="checkbox"/> Other (Please Specify) <input type="checkbox"/> Not Applicable	Building Site Supervisor: Name: Date of acceptance: Signed:

SUBSTRATE PREPARATION

Surface Preparation: - Floor	Surface Preparation: - Upstand	Acceptance of Surface Preparation:
<input type="checkbox"/> Captive Shot-blasting <input type="checkbox"/> Diamond Grinding – Utilizing Bush Hammers <input type="checkbox"/> Other (Please Specify)	<input type="checkbox"/> Diamond Grinding <input type="checkbox"/> Sanding <input type="checkbox"/> Other (Please Specify)	Installation Contractor Site Supervisor: Name: Date of acceptance: Signed:

SUBSTRATE REPAIR – FLOORS | UPSTAND

Substrate repair required:	Substrate Cracks / Joints:	Prefill – falls / levels required:
<input type="checkbox"/> Yes – spalling <input type="checkbox"/> Yes - substrate deviation <input type="checkbox"/> No <input type="checkbox"/> Not Applicable	<input type="checkbox"/> Filled <input type="checkbox"/> Slip Tape / Fibreglass bandage <input type="checkbox"/> Other (Please Specify) <input type="checkbox"/> Not Applicable	<input type="checkbox"/> Yes - falls to drains <input type="checkbox"/> Yes - fill falls to level <input type="checkbox"/> Not Applicable

Does client require elimination of ponding water?	Prefill Matrix Type:	Prefill – falls: Client Acceptance:
<input type="checkbox"/> Yes - Falls 1:50 required <input type="checkbox"/> Yes - Falls other than 1:50 (Please Specify) <input type="checkbox"/> Not Applicable	<input type="checkbox"/> STZ Epoxy Prefill – Supascreed <input type="checkbox"/> STZ Epoxy Prefill – Surecote 500 <input type="checkbox"/> Screed 20+ <input type="checkbox"/> Other (Please Specify) <input type="checkbox"/> Not Applicable	Building Site Supervisor: Name: Date of acceptance: Signed:

DRAINS / SUMPS

<i>Drains / sumps; lining required:</i>	<i>Falls in drains / sumps correct:</i>	<i>Drains / sumps; System:</i>
<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Applicable 	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Applicable If no; do these need rectification: <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Applicable Building Site Supervisor: Name: Date of acceptance: Signed:	<input type="checkbox"/> Supascreed <input type="checkbox"/> Situclad EWS <input type="checkbox"/> Situclad EHD <input type="checkbox"/> Base system indicated above overcoated with Terraflake <input type="checkbox"/> Other (<i>Please Specify</i>) <input type="checkbox"/> Not Applicable

PROTECTION OF FLOOR

<i>Protection of floor required:</i>	<i>Type of Protection:</i>	<i>Contractor Installed Protection as per Specification:</i>
<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> No – protected by Main Contractor or others 	<input type="checkbox"/> Plastic <input type="checkbox"/> Cardboard <input type="checkbox"/> Plywood <input type="checkbox"/> Custom wood <input type="checkbox"/> Other (<i>Please Specify</i>) 	Building Site Supervisor: Name: Date of acceptance: Signed: Comments

DURATION SITE CONDITIONS

<i>Site Conditions – External:</i>	<i>Site Conditions – Internal:</i>	<i>Ambient Site Temperatures (from QC3):</i>
<input type="checkbox"/> Fine <input type="checkbox"/> Warm <input type="checkbox"/> Wet <input type="checkbox"/> Cold Comments	<input type="checkbox"/> Building Open <input type="checkbox"/> Building Enclosed <input type="checkbox"/> Natural Lighting <input type="checkbox"/> Overhead Lighting <input type="checkbox"/> Spotlights Comments	<input type="checkbox"/> Refer: QC3 Documents

RECORDS

<i>Photo records taken during stages of:</i>	<i>Bondlast Construction Products Site Visit:</i>	<i>Bondlast Construction Products Personnel:</i>
<input type="checkbox"/> Moisture Test Results <input type="checkbox"/> Ambient Temperature Test Results <input type="checkbox"/> Relative Humidity Test Results <input type="checkbox"/> Substrate Surface Preparation <input type="checkbox"/> Cove Reinforcement <input type="checkbox"/> Surface Preparation at Drains and Doorways <input type="checkbox"/> No (<i>If no, please specify reason as the photographs are proof of compliance</i>) 	<input type="checkbox"/> Yes <input type="checkbox"/> No Comments	Name: Date: Signed: Number of Visits: Name: Date: Signed: Number of Visits:

<i>Damage to Floors by Other Trades:</i>	<i>Damage to Site by Contractor:</i>
<input type="checkbox"/> No <input type="checkbox"/> Yes (please specify reason) 	<input type="checkbox"/> No <input type="checkbox"/> Yes (please specify reason)

FLOORING INSTALLER <i>Contract completed to specification</i>	BUILDING SITE SUPERVISOR <i>Contract completed to specification</i>
<input type="checkbox"/> Yes <input type="checkbox"/> No (please specify reason) 	Name: Date of acceptance: Signed:
FINAL JOB APPROVAL <i>All stages are complete to the Specification Documents</i>	JOB APPROVAL / CLIENT <i>All stages are complete to the Specification Documents</i>
Installation Contractor Principal Name: Signed: Date:	Client or Clients Representative Name: Signed: Date:

Bondlast | Document QC.RF.2 - Quality Control Sheet – Terraflake

This sheet is to be completed by the Site Supervisor and a copy provided to the client at the completion of the Contract.
 This form is used in conjunction with the QC RF.1 site checklist, and the QC RF.3 mix control sheet.
 All forms are to be filed in the appropriate manner and are to be made available to DGL Bondlast Construction Products as required.

PRE-START		
Work instructions available:	Work instructions clear & concise:	Surface preparation method specified:
<input type="checkbox"/> Yes <input type="checkbox"/> No Comments	<input type="checkbox"/> Yes <input type="checkbox"/> No Comments	<input type="checkbox"/> Yes <input type="checkbox"/> No Comments
Prefill requirements specified:	Prefill system falls specified:	System thickness specified:
<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not applicable Comments	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not applicable Comments	<input type="checkbox"/> Yes <input type="checkbox"/> No Comments
Colour as specified:	Texture / non-slip specified:	Topcoat / number of coats specified:
<input type="checkbox"/> Yes <input type="checkbox"/> No Comments	<input type="checkbox"/> Yes <input type="checkbox"/> No Comments	<input type="checkbox"/> Yes <input type="checkbox"/> No Comments
Cove height specified:	Cove radius specified:	Cove capping specified:
<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Applicable Comments	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Applicable Comments	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Applicable Comments
Bondlast Flooring QC sheets on site:	Bondlast technical literature / formulations on site:	Client sample approved:
<input type="checkbox"/> Yes <input type="checkbox"/> No Comments	<input type="checkbox"/> Yes <input type="checkbox"/> No Comments	<input type="checkbox"/> Yes <input type="checkbox"/> No Comments
HEALTH SAFETY & ENVIRONMENT		
Trained staff identified:	SDS on site:	DG site signs on site:
<input type="checkbox"/> Yes <input type="checkbox"/> No Comments	<input type="checkbox"/> Yes <input type="checkbox"/> No Comments	<input type="checkbox"/> Yes <input type="checkbox"/> No Comments

All PPE available for installation:	Electrical equipment tagged & current:	Fire Extinguishers:
<input type="checkbox"/> Yes <input type="checkbox"/> No Comments	<input type="checkbox"/> Yes <input type="checkbox"/> No Comments	<input type="checkbox"/> Yes <input type="checkbox"/> No Comments

Installation areas isolated with Danger Tape	Identified Spill Kits:	Waste disposal available:
<input type="checkbox"/> Yes <input type="checkbox"/> No Comments	<input type="checkbox"/> Yes <input type="checkbox"/> No Comments	<input type="checkbox"/> Yes <input type="checkbox"/> Waste to be removed from site Comments

SURFACE PREPARATION

Preparation acceptable (including upstands and panel):	Floor clean and dry:	Joints cut out clean:
<input type="checkbox"/> Yes <input type="checkbox"/> No Comments	<input type="checkbox"/> Yes <input type="checkbox"/> No Comments	<input type="checkbox"/> Yes <input type="checkbox"/> No Comments

Swept and vacuumed:	Moisture content correct:
<input type="checkbox"/> Yes <input type="checkbox"/> No Comments	<input type="checkbox"/> Yes <input type="checkbox"/> No Comments

MIXING & EQUIPMENT

Resin and aggregate scales:	Measuring by weight:	Mixing equipment correct:
<input type="checkbox"/> Yes - Required as part of the system Comments	<input type="checkbox"/> Yes - Required as part of the system Comments	<input type="checkbox"/> Yes <input type="checkbox"/> No Comments

Bondlast QC mixing sheets filled in correctly:	Mix area clean and tidy:	Mix area isolated from other Trades:
<input type="checkbox"/> Yes <input type="checkbox"/> No Comments	<input type="checkbox"/> Yes <input type="checkbox"/> No Comments	<input type="checkbox"/> Yes <input type="checkbox"/> No Comments

INSTALLATION

Correct tools available for installation:	Prefill installation correct as specified:	Fibre reinforcement to upstands:
<input type="checkbox"/> Yes <input type="checkbox"/> No Comments	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not applicable Comments	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not applicable Comments

<p>Cove radius and installation correct:</p> <p><input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Applicable</p> <p>Comments </p>	<p>Cove Capping installed correctly - Incl. sealant:</p> <p><input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not applicable</p> <p>Comments </p>	<p>Topping to correct thickness:</p> <p><input type="checkbox"/> Yes <input type="checkbox"/> No</p> <p>Comments </p>
<p>Non-slip aggregate distribution even:</p> <p><input type="checkbox"/> Yes <input type="checkbox"/> No</p> <p>Comments </p>	<p>Colour even:</p> <p><input type="checkbox"/> Yes <input type="checkbox"/> No</p> <p>Comments </p>	<p>Topcoats applied correctly:</p> <p><input type="checkbox"/> Yes <input type="checkbox"/> No</p> <p>Comments </p>
<p>Construction joints carried and cut through:</p> <p><input type="checkbox"/> Yes <input type="checkbox"/> No</p> <p>Comments </p>	<p>Jointing detail good:</p> <p><input type="checkbox"/> Yes <input type="checkbox"/> No</p> <p>Comments </p>	<p>Visual aspect of installed coating to required standard:</p> <p><input type="checkbox"/> Yes <input type="checkbox"/> No</p> <p>Comments </p>
COMPLETION		
<p>Site clean-up:</p> <p><input type="checkbox"/> Yes <input type="checkbox"/> No</p> <p>Comment </p>	<p>Floor protected:</p> <p><input type="checkbox"/> Yes <input type="checkbox"/> No</p> <p>Comments </p>	<p>Client sign -off:</p> <p><input type="checkbox"/> Yes <input type="checkbox"/> No</p> <p>Comments </p>

I/We agree that the above is correct.

Name: Signed: Date:/...../.....

Disclaimer:
DGL Bondlast Construction Products Quality Checklists are an internal business tool for members of the DGL Bondlast Construction Products Contractors Federation Inc. They are a snapshot of contractor activity and do not necessarily indicate continuous business performance or on-site skills. It in no way implies any site responsibility by DGL Bondlast Construction Products. Full site responsibility resides with the contractor.

Bondlast | Document QC.RF.3 - Quality Control Sheet – Terraflake

This sheet is to be completed by the Site Supervisor and a copy provided to the client at the completion of the Contract.
 This form is used in conjunction with the QC RF.1 Site Sheet and the QC RF.2 Site Checklist.
 All forms are to be filed in the appropriate manner and are to be made available to DGL Bondlast Construction Products as required.

Project:								
Location On Site:		L1:	L2:	L3:	L4:			
AMBIENT TEMPERATURE								
* To be recorded minimum twice daily or when atmospheric conditions are observed Installation range 10°C - 35°C								
	AM	PM		AM	PM		AM	PM
D1			D2			D3		
D4			D5			D6		
D7			D8			D9		
D10			D11			D12		
D13			D14			D15		
D16			D17			D18		
D19			D20			D21		
RELATIVE HUMIDITY								
* To be recorded minimum twice daily or when atmospheric conditions are observed Installation should not take place above 85% RH								
D1			D2			D3		
D4			D5			D6		
D7			D8			D9		
D10			D11			D12		
D13			D14			D15		
D16			D17			D18		
D19			D20			D21		
DEW POINT								
* To be recorded minimum twice daily or when atmospheric conditions are observed All resin applications should take place at 3°C above the room dew point avoiding moisture issues.								
D1			D2			D3		
D4			D5			D6		
D7			D8			D9		
D10			D11			D12		
D13			D14			D15		
D16			D17			D18		
D19			D20			D21		
% SUBSTRATE MOISTURE								
* To be recorded daily at random points every 50 m ² of area to be installed Note* Terraflake is designed for moisture control and can applied to damp substrates – not to substrates with actively flowing water These tests are to show substrate condition at the time of installation.								
D1								
D2								
D3								
D4								
D5								
D6								
D7								
D8								
D9								
D10								
D11								
D12								
D13								
D14								
D15								
D16								
D17								
D18								
D19								
D20								
D21								

If the location of installation changes, please add location number to Day of Testing – only put location numbers when a change takes place. Please see example below										
D1	L1:	44%	46%	D2	44%	46%	D3	L3:	47%	48%

BATCH CONTROL

Insert Batch Number in box and use " in following boxes until Batch Number Change occurs, then write that batch number in etc.
Please follow this system through the QC sheets.

Examples below

Supascreed Resin	PN300028
Supascreed Hardener	4489008
Supascreed Resin	"
Supascreed Hardener	"
Supascreed Resin	PN400045
Supascreed Hardener	"

Mix Control

Please place a ✓ in each mix box for each mix.	Mix
	✓

Location Control

If the location of installation changes, please add location number to Mix Number – only put location numbers when a change takes place. Please see example below							
Mix 1	Mix 2	Mix 3	Mix 4	Mix 5	Mix 6	Mix 7	Mix 8
L1: ✓	✓	✓	✓	✓	✓	L3: ✓	✓

PREFILL – Options

STZ EPOXY PREFILL

Use STZ Epoxy Prefill Document "QC.RF.4" and attach to this document

STZ SCREED 20*

Use STZ Screed 20* Prefill Document "QC.RF.4" and attach to this document

COVES | UPSTANDS

Option 1 – Coves | Upstands

Product		Mix Ratio			Notes				
Supascreed Aggregate		Resin		kg				
		Hardener		kg					
		Aggregate 1		kg					
		Aggregate 2		kg					
		Aggregate 3		kg					
BATCH NUMBERS		Mix 1	Mix 2	Mix 3	Mix 4	Mix 5	Mix 6	Mix 7	Mix 8
Supascreed Resin:									
Supascreed Hardener:									
		Mix 9	Mix 10	Mix 11	Mix 12	Mix 13	Mix 14	Mix 15	Mix 16
Supascreed Resin:									
Supascreed Hardener:									
		Mix 17	Mix 18	Mix 19	Mix 20	Mix 21	Mix 22	Mix 23	Mix 24
Supascreed Resin:									
Supascreed Hardener:									
		Mix 25	Mix 26	Mix 27	Mix 28	Mix 29	Mix 30	Mix 31	Mix 32
Supascreed Resin:									
Supascreed Hardener:									
		Mix 33	Mix 34	Mix 35	Mix 36	Mix 37	Mix 38	Mix 39	Mix 40
Supascreed Resin:									
Supascreed Hardener:									
		Mix 41	Mix 42	Mix 43	Mix 44	Mix 45	Mix 46	Mix 47	Mix 48
Supascreed Resin:									
Supascreed Hardener:									
		Mix 49	Mix 50	Mix 51	Mix 52	Mix 53	Mix 54	Mix 55	Mix 56
Supascreed Resin:									
Supascreed Hardener:									
		Mix 57	Mix 58	Mix 59	Mix 60	Mix 61	Mix 62	Mix 63	Mix 64
Supascreed Resin:									
Supascreed Hardener:									
		Mix 65	Mix 66	Mix 67	Mix 68	Mix 69	Mix 70	Mix 71	Mix 72
Supascreed Resin:									
Supascreed Hardener:									
		Mix 73	Mix 74	Mix 75	Mix 76	Mix 77	Mix 78	Mix 79	Mix 80
Supascreed Resin:									
Supascreed Hardener:									
		Mix 81	Mix 82	Mix 83	Mix 84	Mix 85	Mix 86	Mix 87	Mix 88
Supascreed Resin:									
Supascreed Hardener:									

Option 2 – Small Radius Fillet Covers

Product		Mix Ratio			Notes				
Rapidpatch 40	Rapidpatch			kg				
	Water			Litres					
BATCH NUMBERS		Mix 1	Mix 2	Mix 3	Mix 4	Mix 5	Mix 6	Mix 7	Mix 8
Rapidpatch 40:									
		Mix 9	Mix 10	Mix 11	Mix 12	Mix 13	Mix 14	Mix 15	Mix 16
Rapidpatch 40:									
		Mix 17	Mix 18	Mix 19	Mix 20	Mix 21	Mix 22	Mix 23	Mix 24
Rapidpatch 40:									
		Mix 25	Mix 26	Mix 27	Mix 28	Mix 29	Mix 30	Mix 31	Mix 32
Rapidpatch 40:									
		Mix 33	Mix 34	Mix 35	Mix 36	Mix 37	Mix 38	Mix 39	Mix 40
Rapidpatch 40:									
		Mix 41	Mix 42	Mix 43	Mix 44	Mix 45	Mix 46	Mix 47	Mix 48
Rapidpatch 40:									
		Mix 49	Mix 50	Mix 51	Mix 52	Mix 53	Mix 54	Mix 55	Mix 56
Rapidpatch 40:									
		Mix 57	Mix 58	Mix 59	Mix 60	Mix 61	Mix 62	Mix 63	Mix 64
Rapidpatch 40:									
		Mix 65	Mix 66	Mix 67	Mix 68	Mix 69	Mix 70	Mix 71	Mix 72
Rapidpatch 40:									
		Mix 73	Mix 74	Mix 75	Mix 76	Mix 77	Mix 78	Mix 79	Mix 80
Rapidpatch 40:									
		Mix 81	Mix 82	Mix 83	Mix 84	Mix 85	Mix 86	Mix 87	Mix 88
Rapidpatch 40:									

PRIMER | FIRST COAT

Product	Mix Ratio			Notes					
Aquakem	Aquakem Part A		Litres					
	Aquakem Part B		Litres						
BATCH NUMBERS		Mix 1	Mix 2	Mix 3	Mix 4	Mix 5	Mix 6	Mix 7	Mix 8
Aquakem Part A:									
Aquakem Part B:									
		Mix 9	Mix 10	Mix 11	Mix 12	Mix 13	Mix 14	Mix 15	Mix 16
Aquakem Part A:									
Aquakem Part B:									
		Mix 17	Mix 18	Mix 19	Mix 20	Mix 21	Mix 22	Mix 23	Mix 24
Aquakem Part A:									
Aquakem Part B:									
		Mix 25	Mix 26	Mix 27	Mix 28	Mix 29	Mix 30	Mix 31	Mix 32
Aquakem Part A:									
Aquakem Part B:									
		Mix 33	Mix 34	Mix 35	Mix 36	Mix 37	Mix 38	Mix 39	Mix 40
Aquakem Part A:									
Aquakem Part B:									
		Mix 41	Mix 42	Mix 43	Mix 44	Mix 45	Mix 46	Mix 47	Mix 48
Aquakem Part A:									
Aquakem Part B:									
		Mix 49	Mix 50	Mix 51	Mix 52	Mix 53	Mix 54	Mix 55	Mix 56
Aquakem Part A:									
Aquakem Part B:									

BASECOAT | SECOND COAT

Product	Mix Ratio			Notes					
Aquakem	Aquakem Part A		Litres					
	Aquakem Part B		Litres						
BATCH NUMBERS		Mix 1	Mix 2	Mix 3	Mix 4	Mix 5	Mix 6	Mix 7	Mix 8
Aquakem Part A:									
Aquakem Part B:									
		Mix 9	Mix 10	Mix 11	Mix 12	Mix 13	Mix 14	Mix 15	Mix 16
Aquakem Part A:									
Aquakem Part B:									
		Mix 17	Mix 18	Mix 19	Mix 20	Mix 21	Mix 22	Mix 23	Mix 24
Aquakem Part A:									
Aquakem Part B:									
		Mix 25	Mix 26	Mix 27	Mix 28	Mix 29	Mix 30	Mix 31	Mix 32
Aquakem Part A:									
Aquakem Part B:									
		Mix 33	Mix 34	Mix 35	Mix 36	Mix 37	Mix 38	Mix 39	Mix 40
Aquakem Part A:									
Aquakem Part B:									
		Mix 41	Mix 42	Mix 43	Mix 44	Mix 45	Mix 46	Mix 47	Mix 48
Aquakem Part A:									
Aquakem Part B:									
		Mix 49	Mix 50	Mix 51	Mix 52	Mix 53	Mix 54	Mix 55	Mix 56
Aquakem Part A:									
Aquakem Part B:									

BASECOAT | THIRD COAT -Used when Installing Terraflake Tile Pattern

Product	Mix Ratio			Notes					
Aquakem	Aquakem Part A		Litres					
	Aquakem Part B		Litres						
BATCH NUMBERS		Mix 1	Mix 2	Mix 3	Mix 4	Mix 5	Mix 6	Mix 7	Mix 8
Aquakem Part A:									
Aquakem Part B:									
		Mix 9	Mix 10	Mix 11	Mix 12	Mix 13	Mix 14	Mix 15	Mix 16
Aquakem Part A:									
Aquakem Part B:									
		Mix 17	Mix 18	Mix 19	Mix 20	Mix 21	Mix 22	Mix 23	Mix 24
Aquakem Part A:									
Aquakem Part B:									
		Mix 25	Mix 26	Mix 27	Mix 28	Mix 29	Mix 30	Mix 31	Mix 32
Aquakem Part A:									
Aquakem Part B:									
		Mix 33	Mix 34	Mix 35	Mix 36	Mix 37	Mix 38	Mix 39	Mix 40
Aquakem Part A:									
Aquakem Part B:									
		Mix 41	Mix 42	Mix 43	Mix 44	Mix 45	Mix 46	Mix 47	Mix 48
Aquakem Part A:									
Aquakem Part B:									
		Mix 49	Mix 50	Mix 51	Mix 52	Mix 53	Mix 54	Mix 55	Mix 56
Aquakem Part A:									
Aquakem Part B:									

FLAKES

Product	Flake Mix Ratio	Notes														
Flake Type <input type="checkbox"/> Plain Colours <i>- mixed to formulation</i> <input type="checkbox"/> Hybrid	Chosen Colour														
	<i>Colour Formulation</i>															
	<table border="1"> <thead> <tr> <th>Colour</th> <th>Qty</th> <th>Weight</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td>kg</td> </tr> <tr> <td></td> <td></td> <td>kg</td> </tr> <tr> <td></td> <td></td> <td>kg</td> </tr> <tr> <td></td> <td></td> <td>kg</td> </tr> </tbody> </table>	Colour	Qty	Weight			kg			kg			kg			kg
Colour	Qty	Weight														
		kg														
		kg														
		kg														
		kg														

NON-SLIP

Product	AREAS	Notes
Media Type <input type="checkbox"/> Microcells <input type="checkbox"/> Revtred	<input type="checkbox"/> All <input type="checkbox"/> Specific Wet Areas

TOPCOATS

Revathane

Product	BATCH NUMBER		Notes
1 st Topcoat Revathane	Pail 1		
	Pail 2	
	Pail 3	
	Pail 4	
	Pail 5	
	Pail 6	
	Pail 7	
	Pail 8	
	Pail 9	
	Pail 10	

Product	BATCH NUMBER		Notes
2 nd Topcoat Revathane	Pail 1		
	Pail 2	
	Pail 3	
	Pail 4	
	Pail 5	
	Pail 6	
	Pail 7	
	Pail 8	
	Pail 9	
	Pail 10	

Product	BATCH NUMBER		Notes
3 rd Topcoat Revathane	Pail 1		
	Pail 2	
	Pail 3	
	Pail 4	
	Pail 5	
	Pail 6	
	Pail 7	
	Pail 8	
	Pail 9	
	Pail 10	

Supadeck UV Clear Topcoat

Product		Mix Ratio			Notes				
1 st Topcoat Supadeck UV Topcoat		Element	Full Mix	Part Mix				
		Supadeck UV TC Part A	8 kg						
		Supadeck UV TC Part B	0.848 kg						
BATCH NUMBERS		Mix 1	Mix 2	Mix 3	Mix 4	Mix 5	Mix 6	Mix 7	Mix 8
Supadeck UV TC Part A									
Supadeck UV TC Part B									
		Mix 9	Mix 10	Mix 11	Mix 12	Mix 13	Mix 14	Mix 15	Mix 16
Supadeck UV TC Part A									
Supadeck UV TC Part B									
		Mix 17	Mix 18	Mix 19	Mix 20	Mix 21	Mix 22	Mix 23	Mix 24
Supadeck UV TC Part A									
Supadeck UV TC Part B									
		Mix 25	Mix 26	Mix 27	Mix 28	Mix 29	Mix 30	Mix 31	Mix 32
Supadeck UV TC Part A									
Supadeck UV TC Part B									
		Mix 33	Mix 34	Mix 35	Mix 36	Mix 37	Mix 38	Mix 39	Mix 40
Supadeck UV TC Part A									
Supadeck UV TC Part B									

Product		Mix Ratio			Notes				
2 nd Topcoat Supadeck UV Topcoat		Element	Full Mix	Part Mix				
		Supadeck UV TC Part A	8 kg						
		Supadeck UV TC Part B	0.848 kg						
BATCH NUMBERS		Mix 1	Mix 2	Mix 3	Mix 4	Mix 5	Mix 6	Mix 7	Mix 8
Supadeck UV TC Part A									
Supadeck UV TC Part B									
		Mix 9	Mix 10	Mix 11	Mix 12	Mix 13	Mix 14	Mix 15	Mix 16
Supadeck UV TC Part A									
Supadeck UV TC Part B									
		Mix 17	Mix 18	Mix 19	Mix 20	Mix 21	Mix 22	Mix 23	Mix 24
Supadeck UV TC Part A									
Supadeck UV TC Part B									
		Mix 25	Mix 26	Mix 27	Mix 28	Mix 29	Mix 30	Mix 31	Mix 32
Supadeck UV TC Part A									
Supadeck UV TC Part B									
		Mix 33	Mix 34	Mix 35	Mix 36	Mix 37	Mix 38	Mix 39	Mix 40
Supadeck UV TC Part A									
Supadeck UV TC Part B									

Product		Mix Ratio			Notes				
3 rd Topcoat Supadeck UV Topcoat		Element	Full Mix	Part Mix				
		Supadeck UV TC Part A	8 kg						
		Supadeck UV TC Part B	0.848 kg						
BATCH NUMBERS		Mix 1	Mix 2	Mix 3	Mix 4	Mix 5	Mix 6	Mix 7	Mix 8
Supadeck UV TC Part A									
Supadeck UV TC Part B									
		Mix 9	Mix 10	Mix 11	Mix 12	Mix 13	Mix 14	Mix 15	Mix 16
Supadeck UV TC Part A									
Supadeck UV TC Part B									
		Mix 17	Mix 18	Mix 19	Mix 20	Mix 21	Mix 22	Mix 23	Mix 24
Supadeck UV TC Part A									
Supadeck UV TC Part B									
		Mix 25	Mix 26	Mix 27	Mix 28	Mix 29	Mix 30	Mix 31	Mix 32
Supadeck UV TC Part A									
Supadeck UV TC Part B									
		Mix 33	Mix 34	Mix 35	Mix 36	Mix 37	Mix 38	Mix 39	Mix 40
Supadeck UV TC Part A									
Supadeck UV TC Part B									

Aquaglaze UV Topcoat

Product	BATCH NUMBER		Notes
1 st Topcoat Aquaglaze UV	Pail 1		
	Pail 2	
	Pail 3	
	Pail 4	
	Pail 5	
	Pail 6	
	Pail 7	
	Pail 8	
	Pail 9	
	Pail 10	

Product	BATCH NUMBER		Notes
2 nd Topcoat Aquaglaze UV	Pail 1		
	Pail 2	
	Pail 3	
	Pail 4	
	Pail 5	
	Pail 6	
	Pail 7	
	Pail 8	
	Pail 9	
	Pail 10	

Product	BATCH NUMBER		Notes
3 rd Topcoat Aquaglaze UV	Pail 1		
	Pail 2	
	Pail 3	
	Pail 4	
	Pail 5	
	Pail 6	
	Pail 7	
	Pail 8	
	Pail 9	
	Pail 10	

Product	BATCH NUMBER		Notes
4 th Topcoat Aquaglaze UV	Pail 1		
	Pail 2	
	Pail 3	
	Pail 4	
	Pail 5	
	Pail 6	
	Pail 7	
	Pail 8	
	Pail 9	
	Pail 10	

Product	BATCH NUMBER		Notes
5 th Topcoat Aquaglaze UV	Pail 1		
	Pail 2	
	Pail 3	
	Pail 4	
	Pail 5	
	Pail 6	
	Pail 7	
	Pail 8	
	Pail 9	
	Pail 10	

