



Quality Control Documentation

| System Type |
|----------------|
| Resin Flooring |

| Product |
|--|
| Nuthane SBM - with Nuthane TF Topcoat |
| Nuthane SBM - with Nuthane Gloss Topcoat |
| Nuthane SBM - with Supadeck UV Topcoat |

Bondlast | Document QC.RF.1 - Quality Control Sheet - Nuthane SBM

This sheet is to be completed by the Site Supervisor and a copy provided to the client at the completion of the Contract.
 This form is used in conjunction with the QC RF.2 site checklist, and the QC RF.3 mix control sheet.
 All forms are to be filed in the appropriate manner and are to be made available to DGL Bondlast Construction Products as required.

| PROJECT | | |
|--|--|--|
| Project: | Owner(s): | Builder: |
| Name: | Name: | Name: |
| Address: Suburb: City: | Address: Suburb: City: | Address: Suburb: City: |
| Location of Installation on Site: | Owners Contact Details: | Builders Contact Details: |
| Area 1: Area 2: Area 3: Area 4: | Phone: Mobile: Email: | Phone: Mobile: Email: |

| BONDLAST CONSTRUCTION PRODUCTS CONTRACTOR | | | | | | | | | | | | | | |
|--|---|---------------------------------------|-------|----------------|--|---|--|---|-----|-------|------|--|--|--|
| Contracting Company: | <i>The contractor is on the list of approved Bondlast Applicators for this installation:</i> | Contractor Site Supervisor(s): | | | | | | | | | | | | |
| Name: Address: Suburb: City: | <input type="checkbox"/> Yes <table border="1"> <tr> <td>Contractor Licence #</td> <td></td> </tr> <tr> <td>Date of Expiry</td> <td></td> </tr> </table> <input type="checkbox"/> No | Contractor Licence # | | Date of Expiry | | Name: Name: Name: | | | | | | | | |
| Contractor Licence # | | | | | | | | | | | | | | |
| Date of Expiry | | | | | | | | | | | | | | |
| Installation Team: | Date Started: | Date Completed: | | | | | | | | | | | | |
| Name: Name: Name: Name: Name: Name: | <table border="1"> <tr> <td>Day</td> <td>Month</td> <td>Year</td> </tr> <tr> <td></td> <td></td> <td></td> </tr> </table> | Day | Month | Year | | | | <table border="1"> <tr> <td>Day</td> <td>Month</td> <td>Year</td> </tr> <tr> <td></td> <td></td> <td></td> </tr> </table> | Day | Month | Year | | | |
| Day | Month | Year | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| Day | Month | Year | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |

| PRODUCT | | | | | | | | | | |
|--|---|--|---|--------------------|---|--|---------------------|--|------------------------------------|---|
| System Installation Type: | System Specified Finished Thickness: | System Application Process: | | | | | | | | |
| <input type="checkbox"/> Nuthane SBM <table border="1"> <tr> <td>Colour</td> <td></td> </tr> </table> | Colour | | <table border="1"> <tr> <td>Minimum</td> <td>5</td> <td>mm</td> </tr> <tr> <td>Actual</td> <td></td> <td>mm</td> </tr> </table> | Minimum | 5 | mm | Actual | | mm | <input type="checkbox"/> Surface Preparation <input type="checkbox"/> Primer (if required) <input type="checkbox"/> Nuthane Matrix <input type="checkbox"/> Non-Slip Media <input type="checkbox"/> Selected Topcoats |
| Colour | | | | | | | | | | |
| Minimum | 5 | mm | | | | | | | | |
| Actual | | mm | | | | | | | | |
| Non -Slip Media: | Topcoats: | Floor Joint & Penetration Systems Used: | | | | | | | | |
| <input type="checkbox"/> Q900 <input type="checkbox"/> Grit – Silver Grey 0.4-1.7mm <input type="checkbox"/> 18/36 <input type="checkbox"/> 18/36 Aluminium Oxide 16-grit blend <input type="checkbox"/> 7//14 <input type="checkbox"/> 7/14 Aluminium Oxide 12-grit blend <input type="checkbox"/> Aluminium Oxide 12-grit <input type="checkbox"/> Aluminium Oxide 16-grit <input type="checkbox"/> Aluminium Oxide 24-grit <input type="checkbox"/> Quartzzite Coloured Aggregate (Specify Blend Ratio) <input type="checkbox"/> Other (Please Specify) | <table border="1"> <tr> <th>Topcoat Type</th> </tr> <tr> <td> <input type="checkbox"/> Nuthane TF Topcoat <input type="checkbox"/> Nuthane Gloss Topcoat <input type="checkbox"/> Supadeck UV Topcoat </td> </tr> <tr> <th>Number of Topcoats</th> </tr> <tr> <td> <input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3 <input type="checkbox"/> Other (Please Specify) </td> </tr> </table> | Topcoat Type | <input type="checkbox"/> Nuthane TF Topcoat <input type="checkbox"/> Nuthane Gloss Topcoat <input type="checkbox"/> Supadeck UV Topcoat | Number of Topcoats | <input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3 <input type="checkbox"/> Other (Please Specify) | <table border="1"> <tr> <th>Floor Joint Sealant</th> </tr> <tr> <td> <input type="checkbox"/> Sabrebond SMP 60 <input type="checkbox"/> K130 <input type="checkbox"/> Other (Please Specify) <input type="checkbox"/> Not Applicable </td> </tr> <tr> <th>Cove Strip and Penetration Sealant</th> </tr> <tr> <td> <input type="checkbox"/> Sabre Seal CR <input type="checkbox"/> Other (Please Specify) <input type="checkbox"/> Not Applicable </td> </tr> </table> | Floor Joint Sealant | <input type="checkbox"/> Sabrebond SMP 60 <input type="checkbox"/> K130 <input type="checkbox"/> Other (Please Specify) <input type="checkbox"/> Not Applicable | Cove Strip and Penetration Sealant | <input type="checkbox"/> Sabre Seal CR <input type="checkbox"/> Other (Please Specify) <input type="checkbox"/> Not Applicable |
| Topcoat Type | | | | | | | | | | |
| <input type="checkbox"/> Nuthane TF Topcoat <input type="checkbox"/> Nuthane Gloss Topcoat <input type="checkbox"/> Supadeck UV Topcoat | | | | | | | | | | |
| Number of Topcoats | | | | | | | | | | |
| <input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3 <input type="checkbox"/> Other (Please Specify) | | | | | | | | | | |
| Floor Joint Sealant | | | | | | | | | | |
| <input type="checkbox"/> Sabrebond SMP 60 <input type="checkbox"/> K130 <input type="checkbox"/> Other (Please Specify) <input type="checkbox"/> Not Applicable | | | | | | | | | | |
| Cove Strip and Penetration Sealant | | | | | | | | | | |
| <input type="checkbox"/> Sabre Seal CR <input type="checkbox"/> Other (Please Specify) <input type="checkbox"/> Not Applicable | | | | | | | | | | |

FLOOR CONSTRUCTION

| | | | | | | | | |
|---|--|------------------------------------|-------|------|--|--|--|---|
| Substrate: | Substrate – Installation Date: | Falls in substrate correct: | | | | | | |
| <input type="checkbox"/> New Concrete <input type="checkbox"/> Existing Concrete <input type="checkbox"/> Other (Please Specify) | <table border="1" style="width: 100%;"> <tr> <td style="width: 33%; text-align: center;">Day</td> <td style="width: 33%; text-align: center;">Month</td> <td style="width: 33%; text-align: center;">Year</td> </tr> <tr> <td style="height: 20px;"></td> <td></td> <td></td> </tr> </table> <input type="checkbox"/> Information unobtainable | Day | Month | Year | | | | <input type="checkbox"/> Yes <input type="checkbox"/> No If no refer to Prefill section |
| Day | Month | Year | | | | | | |
| | | | | | | | | |

WALL UPSTAND DETAILS

| | | |
|--|--|---|
| Wall Details: | Coves / Upstands required: | Wall to floor junction detail – Fibreglass Reinforcement: |
| <input type="checkbox"/> Insitu Concrete / Concrete Panel <input type="checkbox"/> Concrete Block <input type="checkbox"/> Insulated Panel <input type="checkbox"/> Plywood <input type="checkbox"/> Fibrecement <input type="checkbox"/> Other (Please Specify) <input type="checkbox"/> Not Applicable | <input type="checkbox"/> Yes <input type="checkbox"/> No If yes: height required <input style="width: 40px;" type="text"/> mm Cove radius required <input style="width: 40px;" type="text"/> mm | <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Applicable |

| | | |
|---|---|---|
| Cove Matrix Type: | Cove Capping: | Cove Installation: |
| <input type="checkbox"/> Supascreed <input type="checkbox"/> Other (Please Specify) <input type="checkbox"/> Not Applicable | <input type="checkbox"/> STZ Cove Strip 5.2mm <input type="checkbox"/> STZ Cove Strip 9.2mm - rebate <input type="checkbox"/> Other (Please Specify) <input type="checkbox"/> Not Applicable | Building Site Supervisor: Name: Date of acceptance: Signed: |

SUBSTRATE PREPARATION

| | | |
|---|--|--|
| Surface Preparation: - Floor | Surface Preparation: - Upstand | Acceptance of Surface Preparation: |
| <input type="checkbox"/> Captive Shot-blasting <input type="checkbox"/> Diamond Grinding – Utilizing Bush Hammers <input type="checkbox"/> Other (Please Specify) | <input type="checkbox"/> Diamond Grinding <input type="checkbox"/> Sanding <input type="checkbox"/> Other (Please Specify) | Installation Contractor Site Supervisor: Name: Date of acceptance: Signed: |

SUBSTRATE REPAIR – FLOORS | UPSTAND

| | | |
|---|--|---|
| Substrate repair required: | Substrate Cracks / Joints: | Prefill – falls / levels required: |
| <input type="checkbox"/> Yes – spalling <input type="checkbox"/> Yes - substrate deviation <input type="checkbox"/> No <input type="checkbox"/> Not Applicable | <input type="checkbox"/> Filled <input type="checkbox"/> Slip Tape / Fibreglass bandage <input type="checkbox"/> Other (Please Specify) <input type="checkbox"/> Not Applicable | <input type="checkbox"/> Yes - falls to drains <input type="checkbox"/> Yes - fill falls to level <input type="checkbox"/> Not Applicable |

| | | |
|--|---|---|
| Does client require elimination of ponding water? | Prefill Matrix Type: | Prefill – falls: Client Acceptance: |
| <input type="checkbox"/> Yes - Falls 1:50 required <input type="checkbox"/> Yes - Falls other than 1:50 (Please Specify) <input type="checkbox"/> Not Applicable | <input type="checkbox"/> STZ Epoxy Prefill – Supascreed <input type="checkbox"/> STZ Epoxy Prefill – Surecote 500 <input type="checkbox"/> Screed 20+ <input type="checkbox"/> Other (Please Specify) <input type="checkbox"/> Not Applicable | Building Site Supervisor: Name: Date of acceptance: Signed: |

DRAINS / SUMPS

| <i>Drains / sumps; lining required:</i> | <i>Falls in drains / sumps correct:</i> | <i>Drains / sumps; System:</i> |
|---|--|--|
| <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Applicable | <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Applicable If no; do these need rectification: <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Applicable Building Site Supervisor: Name: Date of acceptance: Signed: | <input type="checkbox"/> Surechem VE <input type="checkbox"/> Situclad VE <input type="checkbox"/> Situclad VE VE Glass Flake <input type="checkbox"/> Situclad ECR <input type="checkbox"/> Situclad EHD <input type="checkbox"/> Other (<i>Please Specify</i>) <input type="checkbox"/> Not Applicable |

PROTECTION OF FLOOR

| <i>Protection of floor required:</i> | <i>Type of Protection:</i> | <i>Contractor Installed Protection as per Specification:</i> |
|---|---|--|
| <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> No – protected by Main Contractor or others | <input type="checkbox"/> Plastic <input type="checkbox"/> Cardboard <input type="checkbox"/> Plywood <input type="checkbox"/> Custom wood <input type="checkbox"/> Other (<i>Please Specify</i>) | Building Site Supervisor: Name: Date of acceptance: Signed: Comments |

DURATION SITE CONDITIONS

| <i>Site Conditions – External:</i> | <i>Site Conditions – Internal:</i> | <i>Ambient Site Temperatures (from QC3):</i> |
|--|---|---|
| <input type="checkbox"/> Fine <input type="checkbox"/> Warm <input type="checkbox"/> Wet <input type="checkbox"/> Cold Comments | <input type="checkbox"/> Building Open <input type="checkbox"/> Building Enclosed <input type="checkbox"/> Natural Lighting <input type="checkbox"/> Overhead Lighting <input type="checkbox"/> Spotlights Comments | <input type="checkbox"/> Refer: QC3 Documents |

RECORDS

| <i>Photo records taken during stages of:</i> | <i>Bondlast Construction Products Site Visit:</i> | <i>Bondlast Construction Products Personnel:</i> |
|---|--|--|
| <input type="checkbox"/> Moisture Test Results <input type="checkbox"/> Ambient Temperature Test Results <input type="checkbox"/> Relative Humidity Test Results <input type="checkbox"/> Substrate Surface Preparation <input type="checkbox"/> Cove Reinforcement <input type="checkbox"/> Surface Preparation at Drains and Doorways <input type="checkbox"/> No (<i>If no, please specify reason as the photographs are proof of compliance</i>) | <input type="checkbox"/> Yes <input type="checkbox"/> No Comments | Name: Date: Signed: Number of Visits: Name: Date: Signed: Number of Visits: |

| <i>Damage to Floors by Other Trades:</i> | <i>Damage to Site by Contractor:</i> |
|--|--|
| <input type="checkbox"/> No <input type="checkbox"/> Yes (please specify reason) | <input type="checkbox"/> No <input type="checkbox"/> Yes (please specify reason) |

| | |
|---|---|
| FLOORING INSTALLER <i>Contract completed to specification</i> | BUILDING SITE SUPERVISOR <i>Contract completed to specification</i> |
| <input type="checkbox"/> Yes <input type="checkbox"/> No (please specify reason) | Name: Date of acceptance: Signed: |
| FINAL JOB APPROVAL <i>All stages are complete to the Specification Documents</i> | JOB APPROVAL / CLIENT <i>All stages are complete to the Specification Documents</i> |
| Installation Contractor Principal Name: Signed: Date: | Client or Clients Representative Name: Signed: Date: |

Bondlast | Document QC.RF.2 - Quality Control Sheet - Nuthane SBM

This sheet is to be completed by the Site Supervisor and a copy provided to the client at the completion of the Contract. This form is used in conjunction with the QC RF.1 site checklist, and the QC RF.3 mix control sheet. All forms are to be filed in the appropriate manner and are to be made available to DGL Bondlast Construction Products as required.

| PRE-START | | |
|---|---|---|
| Work instructions available: <input type="checkbox"/> Yes <input type="checkbox"/> No Comments | Work instructions clear & concise: <input type="checkbox"/> Yes <input type="checkbox"/> No Comments | Surface preparation method specified: <input type="checkbox"/> Yes <input type="checkbox"/> No Comments |
| Prefill requirements specified: <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not applicable Comments | Prefill system falls specified: <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not applicable Comments | System thickness specified: <input type="checkbox"/> Yes <input type="checkbox"/> No Comments |
| Colour as specified: <input type="checkbox"/> Yes <input type="checkbox"/> No Comments | Texture / non-slip specified: <input type="checkbox"/> Yes <input type="checkbox"/> No Comments | Topcoat / number of coats specified: <input type="checkbox"/> Yes <input type="checkbox"/> No Comments |
| Cove height specified: <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Applicable Comments | Cove radius specified: <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Applicable Comments | Cove capping specified: <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Applicable Comments |
| Bondlast Flooring QC sheets on site: <input type="checkbox"/> Yes <input type="checkbox"/> No Comments | Bondlast technical literature / formulations on site: <input type="checkbox"/> Yes <input type="checkbox"/> No Comments | Client sample approved: <input type="checkbox"/> Yes <input type="checkbox"/> No Comments |
| HEALTH SAFETY & ENVIRONMENT | | |
| Trained staff identified: <input type="checkbox"/> Yes <input type="checkbox"/> No Comments | SDS on site: <input type="checkbox"/> Yes <input type="checkbox"/> No Comments | DG site signs on site: <input type="checkbox"/> Yes <input type="checkbox"/> No Comments |

| | | |
|---|---|---|
| All PPE available for installation: | Electrical equipment tagged & current: | Fire Extinguishers: |
| <input type="checkbox"/> Yes <input type="checkbox"/> No Comments | <input type="checkbox"/> Yes <input type="checkbox"/> No Comments | <input type="checkbox"/> Yes <input type="checkbox"/> No Comments |

| | | |
|---|---|--|
| Installation areas isolated with Danger Tape | Identified Spill Kits: | Waste disposal available: |
| <input type="checkbox"/> Yes <input type="checkbox"/> No Comments | <input type="checkbox"/> Yes <input type="checkbox"/> No Comments | <input type="checkbox"/> Yes <input type="checkbox"/> Waste to be removed from site Comments |

SURFACE PREPARATION

| | | |
|---|---|---|
| Preparation acceptable (including upstands and panel): | Floor clean and dry: | Joints cut out clean: |
| <input type="checkbox"/> Yes <input type="checkbox"/> No Comments | <input type="checkbox"/> Yes <input type="checkbox"/> No Comments | <input type="checkbox"/> Yes <input type="checkbox"/> No Comments |

| | | |
|---|---|--|
| Swept and vacuumed: | Moisture content correct: | |
| <input type="checkbox"/> Yes <input type="checkbox"/> No Comments | <input type="checkbox"/> Yes <input type="checkbox"/> No Comments | |

MIXING & EQUIPMENT

| | | |
|---|---|---|
| Resin and aggregate scales: | Measuring by weight: | Mixing equipment correct: |
| <input type="checkbox"/> Yes - Required as part of the system Comments | <input type="checkbox"/> Yes - Required as part of the system Comments | <input type="checkbox"/> Yes <input type="checkbox"/> No Comments |

| | | |
|---|---|---|
| Bondlast QC mixing sheets filled in correctly: | Mix area clean and tidy: | Mix area isolated from other Trades: |
| <input type="checkbox"/> Yes <input type="checkbox"/> No Comments | <input type="checkbox"/> Yes <input type="checkbox"/> No Comments | <input type="checkbox"/> Yes <input type="checkbox"/> No Comments |

INSTALLATION

| | | |
|---|--|--|
| Correct tools available for installation: | Prefill installation correct as specified: | Fibre reinforcement to upstands: |
| <input type="checkbox"/> Yes <input type="checkbox"/> No Comments | <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not applicable Comments | <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not applicable Comments |

| | | |
|--|--|--|
| <p>Cove radius and installation correct:</p> <p><input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Applicable</p> <p>Comments </p> | <p>Cove Capping installed correctly - Incl. sealant:</p> <p><input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not applicable</p> <p>Comments </p> | <p>Topping to correct thickness:</p> <p><input type="checkbox"/> Yes <input type="checkbox"/> No</p> <p>Comments </p> |
| <p>Non-slip aggregate distribution even:</p> <p><input type="checkbox"/> Yes <input type="checkbox"/> No</p> <p>Comments </p> | <p>Colour even:</p> <p><input type="checkbox"/> Yes <input type="checkbox"/> No</p> <p>Comments </p> | <p>Topcoats applied correctly:</p> <p><input type="checkbox"/> Yes <input type="checkbox"/> No</p> <p>Comments </p> |
| <p>Construction joints carried and cut through:</p> <p><input type="checkbox"/> Yes <input type="checkbox"/> No</p> <p>Comments </p> | <p>Jointing detail good:</p> <p><input type="checkbox"/> Yes <input type="checkbox"/> No</p> <p>Comments </p> | <p>Visual aspect of installed topping to required standard:</p> <p><input type="checkbox"/> Yes <input type="checkbox"/> No</p> <p>Comments </p> |
| COMPLETION | | |
| <p>Site clean-up:</p> <p><input type="checkbox"/> Yes <input type="checkbox"/> No</p> <p>Comment </p> | <p>Floor protected:</p> <p><input type="checkbox"/> Yes <input type="checkbox"/> No</p> <p>Comments </p> | <p>Client sign -off:</p> <p><input type="checkbox"/> Yes <input type="checkbox"/> No</p> <p>Comments </p> |

I/We agree that the above is correct.

Name: Signed: Date:/...../.....

Disclaimer:

DGL Bondlast Construction Products Quality Checklists are an internal business tool for members of the DGL Bondlast Construction Products Contractors Federation Inc. They are a snapshot of contractor activity and do not necessarily indicate continuous business performance or on-site skills. It in no way implies any site responsibility by DGL Bondlast Construction Products. Full site responsibility resides with the contractor.

Bondlast | Document QC.RF.3 - Quality Control Sheet - Nuthane SBM

This sheet is to be completed by the Site Supervisor and a copy provided to the client at the completion of the Contract.
 This form is used in conjunction with the QC RF.1 Site Sheet and the QC RF.2 Site Checklist.
 All forms are to be filed in the appropriate manner and are to be made available to DGL Bondlast Construction Products as required.

| | | | | | | | |
|--|----|-----|-----|-----|-----|-----|--|
| Project: | | | | | | | |
| Location On Site: | | L1: | L2: | L3: | L4: | | |
| AMBIENT TEMPERATURE | | | | | | | |
| * To be recorded minimum twice daily or when atmospheric conditions are observed Installation range +5°C - +35°C | | | | | | | |
| | AM | PM | AM | PM | AM | PM | |
| D1 | | | D2 | | | D3 | |
| D4 | | | D5 | | | D6 | |
| D7 | | | D8 | | | D9 | |
| D10 | | | D11 | | | D12 | |
| D13 | | | D14 | | | D15 | |
| D16 | | | D17 | | | D18 | |
| D19 | | | D20 | | | D21 | |
| RELATIVE HUMIDITY | | | | | | | |
| * To be recorded minimum twice daily or when atmospheric conditions are observed Installation should not take place above 85% RH | | | | | | | |
| D1 | | | D2 | | | D3 | |
| D4 | | | D5 | | | D6 | |
| D7 | | | D8 | | | D9 | |
| D10 | | | D11 | | | D12 | |
| D13 | | | D14 | | | D15 | |
| D16 | | | D17 | | | D18 | |
| D19 | | | D20 | | | D21 | |
| DEW POINT | | | | | | | |
| * To be recorded minimum twice daily or when atmospheric conditions are observed All resin applications should take place at 3°C above the room dew point avoiding moisture issues. | | | | | | | |
| D1 | | | D2 | | | D3 | |
| D4 | | | D5 | | | D6 | |
| D7 | | | D8 | | | D9 | |
| D10 | | | D11 | | | D12 | |
| D13 | | | D14 | | | D15 | |
| D16 | | | D17 | | | D18 | |
| D19 | | | D20 | | | D21 | |
| % SUBSTRATE MOISTURE | | | | | | | |
| * To be recorded daily at random points every 50 m ² of area to be installed Moisture content to be <95% RH | | | | | | | |
| D1 | | | | | | | |
| D2 | | | | | | | |
| D3 | | | | | | | |
| D4 | | | | | | | |
| D5 | | | | | | | |
| D6 | | | | | | | |
| D7 | | | | | | | |
| D8 | | | | | | | |
| D9 | | | | | | | |
| D10 | | | | | | | |
| D11 | | | | | | | |
| D12 | | | | | | | |
| D13 | | | | | | | |
| D14 | | | | | | | |
| D15 | | | | | | | |
| D16 | | | | | | | |
| D17 | | | | | | | |
| D18 | | | | | | | |
| D19 | | | | | | | |
| D20 | | | | | | | |
| D21 | | | | | | | |

| | | | | | | | | | | |
|---|-----|-----|-----|----|-----|-----|----|-----|-----|-----|
| If the location of installation changes, please add location number to Day of Testing – only put location numbers when a change takes place. Please see example below | | | | | | | | | | |
| D1 | L1: | 44% | 46% | D2 | 44% | 46% | D3 | L3: | 47% | 48% |

FLOOR MATRIX

| Product | Mix Ratio | | | Notes | | | | | |
|------------------------|-----------------------|--------|--------|---|---------|---------|---------|---------|---------|
| Nuthane SBM | Standard Mix Ratio | | | | | | | | |
| | Resin | 4.4 | kg | | | | | | |
| | Hardener | 4.4 | kg | | | | | | |
| | Nuthane SBM Aggregate | 20 | kg | | | | | | |
| | Mix Ratio Used | | | | | | | | |
| | Resin | | kg | | | | | | |
| Hardener | | kg | | | | | | | |
| Nuthane SBM Aggregate | | kg | | | | | | | |
| BATCH NUMBERS | | Mix 1 | Mix 2 | Mix 3 | Mix 4 | Mix 5 | Mix 6 | Mix 7 | Mix 8 |
| Nuthane Resin: | | | | | | | | | |
| Nuthane Hardener: | | | | | | | | | |
| Nuthane SBM Aggregate: | | | | | | | | | |
| | | Mix 9 | Mix 10 | Mix 11 | Mix 12 | Mix 13 | Mix 14 | Mix 15 | Mix 16 |
| Nuthane Resin: | | | | | | | | | |
| Nuthane Hardener: | | | | | | | | | |
| Nuthane SBM Aggregate: | | | | | | | | | |
| | | Mix 17 | Mix 18 | Mix 19 | Mix 20 | Mix 21 | Mix 22 | Mix 23 | Mix 24 |
| Nuthane Resin: | | | | | | | | | |
| Nuthane Hardener: | | | | | | | | | |
| Nuthane SBM Aggregate: | | | | | | | | | |
| | | Mix 25 | Mix 26 | Mix 27 | Mix 28 | Mix 29 | Mix 30 | Mix 31 | Mix 32 |
| Nuthane Resin: | | | | | | | | | |
| Nuthane Hardener: | | | | | | | | | |
| Nuthane SBM Aggregate: | | | | | | | | | |
| | | Mix 33 | Mix 34 | Mix 35 | Mix 36 | Mix 37 | Mix 38 | Mix 39 | Mix 40 |
| Nuthane Resin: | | | | | | | | | |
| Nuthane Hardener: | | | | | | | | | |
| Nuthane SBM Aggregate: | | | | | | | | | |
| | | Mix 41 | Mix 42 | Mix 43 | Mix 44 | Mix 45 | Mix 46 | Mix 47 | Mix 48 |
| Nuthane Resin: | | | | | | | | | |
| Nuthane Hardener: | | | | | | | | | |
| Nuthane SBM Aggregate: | | | | | | | | | |
| | | Mix 49 | Mix 50 | Mix 51 | Mix 52 | Mix 53 | Mix 54 | Mix 55 | Mix 56 |
| Nuthane Resin: | | | | | | | | | |
| Nuthane Hardener: | | | | | | | | | |
| Nuthane SBM Aggregate: | | | | | | | | | |
| | | Mix 57 | Mix 58 | Mix 59 | Mix 60 | Mix 61 | Mix 62 | Mix 63 | Mix 64 |
| Nuthane Resin: | | | | | | | | | |
| Nuthane Hardener: | | | | | | | | | |
| Nuthane SBM Aggregate: | | | | | | | | | |
| | | Mix 65 | Mix 66 | Mix 67 | Mix 68 | Mix 69 | Mix 70 | Mix 71 | Mix 72 |
| Nuthane Resin: | | | | | | | | | |
| Nuthane Hardener: | | | | | | | | | |
| Nuthane SBM Aggregate: | | | | | | | | | |
| | | Mix 73 | Mix 74 | Mix 75 | Mix 76 | Mix 77 | Mix 78 | Mix 79 | Mix 80 |
| Nuthane Resin: | | | | | | | | | |
| Nuthane Hardener: | | | | | | | | | |
| Nuthane SBM Aggregate: | | | | | | | | | |
| | | Mix 81 | Mix 82 | Mix 83 | Mix 84 | Mix 85 | Mix 86 | Mix 87 | Mix 88 |
| Nuthane Resin: | | | | | | | | | |
| Nuthane Hardener: | | | | | | | | | |
| Nuthane SBM Aggregate: | | | | | | | | | |
| | | Mix 89 | Mix 90 | Mix 91 | Mix 92 | Mix 93 | Mix 94 | Mix 95 | Mix 96 |
| Nuthane Resin: | | | | | | | | | |
| Nuthane Hardener: | | | | | | | | | |
| Nuthane SBM Aggregate: | | | | | | | | | |
| | | Mix 97 | Mix 98 | Mix 99 | Mix 100 | Mix 101 | Mix 102 | Mix 103 | Mix 104 |
| Nuthane Resin: | | | | | | | | | |
| Nuthane Hardener: | | | | | | | | | |
| Nuthane SBM Aggregate: | | | | | | | | | |

| BATCH NUMBERS – Cont. | | Mix 112 | Mix 113 | Mix 114 | Mix 115 | Mix 116 | Mix 117 | Mix 118 | Mix 119 |
|------------------------|--|---------|---------|---------|---------|---------|---------|---------|---------|
| Nuthane Resin: | | | | | | | | | |
| Nuthane Hardener: | | | | | | | | | |
| Nuthane SBM Aggregate: | | | | | | | | | |
| | | Mix 120 | Mix 121 | Mix 122 | Mix 123 | Mix 124 | Mix 125 | Mix 126 | Mix 127 |
| Nuthane Resin: | | | | | | | | | |
| Nuthane Hardener: | | | | | | | | | |
| Nuthane SBM Aggregate: | | | | | | | | | |
| | | Mix 128 | Mix 129 | Mix 130 | Mix 131 | Mix 132 | Mix 133 | Mix 134 | Mix 135 |
| Nuthane Resin: | | | | | | | | | |
| Nuthane Hardener: | | | | | | | | | |
| Nuthane SBM Aggregate: | | | | | | | | | |
| | | Mix 136 | Mix 137 | Mix 138 | Mix 139 | Mix 140 | Mix 141 | Mix 142 | Mix 143 |
| Nuthane Resin: | | | | | | | | | |
| Nuthane Hardener: | | | | | | | | | |
| Nuthane SBM Aggregate: | | | | | | | | | |
| | | Mix 144 | Mix 145 | Mix 146 | Mix 147 | Mix 148 | Mix 149 | Mix 150 | Mix 151 |
| Nuthane Resin: | | | | | | | | | |
| Nuthane Hardener: | | | | | | | | | |
| Nuthane SBM Aggregate: | | | | | | | | | |
| | | Mix 152 | Mix 153 | Mix 154 | Mix 155 | Mix 156 | Mix 157 | Mix 158 | Mix 159 |
| Nuthane Resin: | | | | | | | | | |
| Nuthane Hardener: | | | | | | | | | |
| Nuthane SBM Aggregate: | | | | | | | | | |
| | | Mix 160 | Mix 161 | Mix 162 | Mix 163 | Mix 164 | Mix 165 | Mix 166 | Mix 167 |
| Nuthane Resin: | | | | | | | | | |
| Nuthane Hardener: | | | | | | | | | |
| Nuthane SBM Aggregate: | | | | | | | | | |
| | | Mix 168 | Mix 169 | Mix 170 | Mix 171 | Mix 172 | Mix 173 | Mix 174 | Mix 175 |
| Nuthane Resin: | | | | | | | | | |
| Nuthane Hardener: | | | | | | | | | |
| Nuthane SBM Aggregate: | | | | | | | | | |
| | | Mix 176 | Mix 177 | Mix 178 | Mix 179 | Mix 180 | Mix 181 | Mix 182 | Mix 183 |
| Nuthane Resin: | | | | | | | | | |
| Nuthane Hardener: | | | | | | | | | |
| Nuthane SBM Aggregate: | | | | | | | | | |
| | | Mix 184 | Mix 185 | Mix 186 | Mix 187 | Mix 188 | Mix 189 | Mix 190 | Mix 191 |
| Nuthane Resin: | | | | | | | | | |
| Nuthane Hardener: | | | | | | | | | |
| Nuthane SBM Aggregate: | | | | | | | | | |
| | | Mix 192 | Mix 193 | Mix 194 | Mix 195 | Mix 196 | Mix 197 | Mix 198 | Mix 199 |
| Nuthane Resin: | | | | | | | | | |
| Nuthane Hardener: | | | | | | | | | |
| Nuthane SBM Aggregate: | | | | | | | | | |
| | | Mix 200 | Mix 201 | Mix 202 | Mix 203 | Mix 204 | Mix 205 | Mix 206 | Mix 207 |
| Nuthane Resin: | | | | | | | | | |
| Nuthane Hardener: | | | | | | | | | |
| Nuthane SBM Aggregate: | | | | | | | | | |
| | | Mix 208 | Mix 209 | Mix 210 | Mix 211 | Mix 212 | Mix 213 | Mix 214 | Mix 215 |
| Nuthane Resin: | | | | | | | | | |
| Nuthane Hardener: | | | | | | | | | |
| Nuthane SBM Aggregate: | | | | | | | | | |
| | | Mix 216 | Mix 217 | Mix 218 | Mix 219 | Mix 220 | Mix 221 | Mix 222 | Mix 223 |
| Nuthane Resin: | | | | | | | | | |
| Nuthane Hardener: | | | | | | | | | |
| Nuthane SBM Aggregate: | | | | | | | | | |
| | | Mix 224 | Mix 225 | Mix 226 | Mix 227 | Mix 228 | Mix 229 | Mix 230 | Mix 231 |
| Nuthane Resin: | | | | | | | | | |
| Nuthane Hardener: | | | | | | | | | |
| Nuthane SBM Aggregate: | | | | | | | | | |

NON-SLIP OVERSEED

| Product | Mix Ratio | Notes |
|----------------|--|---|
| Aggregate Type | | |
| | Aggregate 1: Kg | Total Broadcast kg |
| | Aggregate 2: Kg | Total Swept Off kg |
| | Aggregate 3: Kg | |
| | Aggregate 4: Kg | |
| | Aggregate 5: Kg | |
| | <input type="checkbox"/> No mix Ratio as single component only | |

COVES | UPSTANDS

| Product | Mix Ratio | Notes |
|---------------------------|-------------------------------------|--------|
| Supascreed Aggregate Type | | |
| | Resin Kg | |
| | Hardener Kg | |
| | Aggregate 1 Kg | |
| | Aggregate 2 Kg | |
| | Aggregate 3 Kg | |
| BATCH NUMBERS | | |
| Supascreed Resin: | Mix 1 | Mix 2 |
| Supascreed Hardener: | Mix 3 | Mix 4 |
| | Mix 5 | Mix 6 |
| | Mix 7 | Mix 8 |
| | Mix 9 | Mix 10 |
| | Mix 11 | Mix 12 |
| | Mix 13 | Mix 14 |
| | Mix 15 | Mix 16 |
| Supascreed Resin: | Mix 17 | Mix 18 |
| Supascreed Hardener: | Mix 19 | Mix 20 |
| | Mix 21 | Mix 22 |
| | Mix 23 | Mix 24 |
| | Mix 25 | Mix 26 |
| | Mix 27 | Mix 28 |
| | Mix 29 | Mix 30 |
| | Mix 31 | Mix 32 |
| Supascreed Resin: | Mix 33 | Mix 34 |
| Supascreed Hardener: | Mix 35 | Mix 36 |
| | Mix 37 | Mix 38 |
| | Mix 39 | Mix 40 |
| | Mix 41 | Mix 42 |
| | Mix 43 | Mix 44 |
| | Mix 45 | Mix 46 |
| | Mix 47 | Mix 48 |
| Supascreed Resin: | Mix 49 | Mix 50 |
| Supascreed Hardener: | Mix 51 | Mix 52 |
| | Mix 53 | Mix 54 |
| | Mix 55 | Mix 56 |
| | Mix 57 | Mix 58 |
| | Mix 59 | Mix 60 |
| | Mix 61 | Mix 62 |
| | Mix 63 | Mix 64 |
| Supascreed Resin: | Mix 65 | Mix 66 |
| Supascreed Hardener: | Mix 67 | Mix 68 |
| | Mix 69 | Mix 70 |
| | Mix 71 | Mix 72 |
| | Mix 73 | Mix 74 |
| | Mix 75 | Mix 76 |
| | Mix 77 | Mix 78 |
| | Mix 79 | Mix 80 |
| Supascreed Resin: | Mix 81 | Mix 82 |
| Supascreed Hardener: | Mix 83 | Mix 84 |
| | Mix 85 | Mix 86 |
| | Mix 87 | Mix 88 |
| Supascreed Resin: | | |
| Supascreed Hardener: | | |

TOPCOATS

Nuthane TF Topcoats

| Product | Mix Ratio | | | Notes | | | | | |
|--|----------------|---------|---------|----------------------------------|---------|---------|---------|---------|---------|
| 1st Topcoat Nuthane Standard Topcoat System <i>Only permitted as 1st topcoat</i> <i>Not to be used as a Final Topcoat</i> | Resin | 4 | Kg | | | | | | |
| | Hardener | 4 | Kg | | | | | | |
| | Topcoat Filler | 4 | Kg | | | | | | |
| | | | | | | | | | |
| BATCH NUMBERS | | Mix 1 | Mix 2 | Mix 3 | Mix 4 | Mix 5 | Mix 6 | Mix 7 | Mix 8 |
| Nuthane Resin: | | | | | | | | | |
| Nuthane Hardener: | | | | | | | | | |
| Nuthane Topcoat Filler: | | | | | | | | | |
| | | Mix 9 | Mix 10 | Mix 11 | Mix 12 | Mix 13 | Mix 14 | Mix 15 | Mix 16 |
| Nuthane Resin: | | | | | | | | | |
| Nuthane Hardener: | | | | | | | | | |
| Nuthane Topcoat Filler: | | | | | | | | | |
| | | Mix 17 | Mix 18 | Mix 19 | Mix 20 | Mix 21 | Mix 22 | Mix 23 | Mix 24 |
| Nuthane Resin: | | | | | | | | | |
| Nuthane Hardener: | | | | | | | | | |
| Nuthane Topcoat Filler: | | | | | | | | | |
| | | Mix 25 | Mix 26 | Mix 27 | Mix 28 | Mix 29 | Mix 30 | Mix 31 | Mix 32 |
| Nuthane Resin: | | | | | | | | | |
| Nuthane Hardener: | | | | | | | | | |
| Nuthane Topcoat Filler: | | | | | | | | | |
| | | Mix 33 | Mix 34 | Mix 35 | Mix 36 | Mix 37 | Mix 38 | Mix 39 | Mix 40 |
| Nuthane Resin: | | | | | | | | | |
| Nuthane Hardener: | | | | | | | | | |
| Nuthane Topcoat Filler: | | | | | | | | | |
| | | Mix 41 | Mix 42 | Mix 43 | Mix 44 | Mix 45 | Mix 46 | Mix 47 | Mix 48 |
| Nuthane Resin: | | | | | | | | | |
| Nuthane Hardener: | | | | | | | | | |
| Nuthane Topcoat Filler: | | | | | | | | | |
| | | Mix 49 | Mix 50 | Mix 51 | Mix 52 | Mix 53 | Mix 54 | Mix 55 | Mix 56 |
| Nuthane Resin: | | | | | | | | | |
| Nuthane Hardener: | | | | | | | | | |
| Nuthane Topcoat Filler: | | | | | | | | | |
| | | Mix 57 | Mix 58 | Mix 59 | Mix 60 | Mix 61 | Mix 62 | Mix 63 | Mix 64 |
| Nuthane Resin: | | | | | | | | | |
| Nuthane Hardener: | | | | | | | | | |
| Nuthane Topcoat Filler: | | | | | | | | | |
| | | Mix 65 | Mix 66 | Mix 67 | Mix 68 | Mix 69 | Mix 70 | Mix 71 | Mix 72 |
| Nuthane Resin: | | | | | | | | | |
| Nuthane Hardener: | | | | | | | | | |
| Nuthane Topcoat Filler: | | | | | | | | | |
| | | Mix 73 | Mix 74 | Mix 75 | Mix 76 | Mix 77 | Mix 78 | Mix 79 | Mix 80 |
| Nuthane Resin: | | | | | | | | | |
| Nuthane Hardener: | | | | | | | | | |
| Nuthane Topcoat Filler: | | | | | | | | | |
| | | Mix 81 | Mix 82 | Mix 83 | Mix 84 | Mix 85 | Mix 86 | Mix 87 | Mix 88 |
| Nuthane Resin: | | | | | | | | | |
| Nuthane Hardener: | | | | | | | | | |
| Nuthane Topcoat Filler: | | | | | | | | | |
| | | Mix 89 | Mix 90 | Mix 91 | Mix 92 | Mix 93 | Mix 94 | Mix 95 | Mix 96 |
| Nuthane Resin: | | | | | | | | | |
| Nuthane Hardener: | | | | | | | | | |
| Nuthane Topcoat Filler: | | | | | | | | | |
| | | Mix 97 | Mix 98 | Mix 99 | Mix 100 | Mix 101 | Mix 102 | Mix 103 | Mix 104 |
| Nuthane Resin: | | | | | | | | | |
| Nuthane Hardener: | | | | | | | | | |
| Nuthane Topcoat Filler: | | | | | | | | | |
| | | Mix 105 | Mix 106 | Mix 107 | Mix 108 | Mix 109 | Mix 110 | Mix 111 | Mix 112 |
| Nuthane Resin: | | | | | | | | | |
| Nuthane Hardener: | | | | | | | | | |
| Nuthane Topcoat Filler: | | | | | | | | | |

| Product | Mix Ratio | | | Notes | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|------------|-----------------|---------------|--|---------------|---------------|---------------|---------------|---------------|---------------|-----------------|-------------|------|----------|--|-------|----------|--|------|----------|--|-------|----------|--|------|----------|--|-------|----------|--|------|-----------|--|-------|-----------|--|------|-----------|--|
| 2nd Topcoat Nuthane TF Topcoat System | Resin | 1.5 | Kg | <i>Nuthane Catalyst is to be added to the Nuthane Resin prior to the mixing of the Nuthane TF Topcoat System and marked on the lid of the pail.</i> <table border="1"> <thead> <tr> <th>Percentage</th> <th>Volume per 20kg</th> <th>Please tick</th> </tr> </thead> <tbody> <tr><td>0.2%</td><td>40 grams</td><td></td></tr> <tr><td>0.25%</td><td>50 grams</td><td></td></tr> <tr><td>0.3%</td><td>60 grams</td><td></td></tr> <tr><td>0.35%</td><td>70 grams</td><td></td></tr> <tr><td>0.4%</td><td>80 grams</td><td></td></tr> <tr><td>0.45%</td><td>90 grams</td><td></td></tr> <tr><td>0.5%</td><td>100 grams</td><td></td></tr> <tr><td>0.55%</td><td>110 grams</td><td></td></tr> <tr><td>0.6%</td><td>120 grams</td><td></td></tr> </tbody> </table> | | | | | | Percentage | Volume per 20kg | Please tick | 0.2% | 40 grams | | 0.25% | 50 grams | | 0.3% | 60 grams | | 0.35% | 70 grams | | 0.4% | 80 grams | | 0.45% | 90 grams | | 0.5% | 100 grams | | 0.55% | 110 grams | | 0.6% | 120 grams | |
| | Percentage | Volume per 20kg | Please tick | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0.2% | 40 grams | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0.25% | 50 grams | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0.3% | 60 grams | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0.35% | 70 grams | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0.4% | 80 grams | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0.45% | 90 grams | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0.5% | 100 grams | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0.55% | 110 grams | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0.6% | 120 grams | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TF Hardener | 2.75 | Kg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Topcoat Filler | 1.5 | Kg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Mineral Turps | 200 | mls | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| BATCH NUMBERS | | | Mix 1 | Mix 2 | Mix 3 | Mix 4 | Mix 5 | Mix 6 | Mix 7 | Mix 8 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Nuthane Resin: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Nuthane TF Hardener: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Nuthane Topcoat Filler: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | Mix 9 | Mix 10 | Mix 11 | Mix 12 | Mix 13 | Mix 14 | Mix 15 | Mix 16 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Nuthane Resin: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Nuthane TF Hardener: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Nuthane Topcoat Filler: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | Mix 17 | Mix 18 | Mix 19 | Mix 19 | Mix 21 | Mix 22 | Mix 23 | Mix 24 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Nuthane Resin: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Nuthane TF Hardener: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Nuthane Topcoat Filler: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | Mix 25 | Mix 26 | Mix 27 | Mix 28 | Mix 29 | Mix 30 | Mix 31 | Mix 32 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Nuthane Resin: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Nuthane TF Hardener: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Nuthane Topcoat Filler: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | Mix 33 | Mix 34 | Mix 35 | Mix 36 | Mix 37 | Mix 38 | Mix 39 | Mix 40 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Nuthane Resin: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Nuthane TF Hardener: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Nuthane Topcoat Filler: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | Mix 41 | Mix 42 | Mix 43 | Mix 44 | Mix 45 | Mix 46 | Mix 47 | Mix 48 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Nuthane Resin: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Nuthane TF Hardener: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Nuthane Topcoat Filler: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | Mix 49 | Mix 50 | Mix 51 | Mix 52 | Mix 53 | Mix 54 | Mix 55 | Mix 56 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Nuthane Resin: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Nuthane TF Hardener: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Nuthane Topcoat Filler: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | Mix 57 | Mix 58 | Mix 59 | Mix 60 | Mix 61 | Mix 62 | Mix 63 | Mix 64 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Nuthane Resin: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Nuthane TF Hardener: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Nuthane Topcoat Filler: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | Mix 65 | Mix 66 | Mix 67 | Mix 68 | Mix 69 | Mix 70 | Mix 71 | Mix 72 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Nuthane Resin: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Nuthane TF Hardener: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Nuthane Topcoat Filler: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | Mix 73 | Mix 74 | Mix 75 | Mix 76 | Mix 77 | Mix 78 | Mix 79 | Mix 80 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Nuthane Resin: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Nuthane TF Hardener: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Nuthane Topcoat Filler: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | Mix 81 | Mix 82 | Mix 83 | Mix 84 | Mix 85 | Mix 86 | Mix 87 | Mix 88 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Nuthane Resin: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Nuthane TF Hardener: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Nuthane Topcoat Filler: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | Mix 89 | Mix 90 | Mix 91 | Mix 92 | Mix 93 | Mix 94 | Mix 95 | Mix 96 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Nuthane Resin: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Nuthane TF Hardener: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Nuthane Topcoat Filler: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

Nuthane Gloss Topcoat

| Product | Mix Ratio | | | | Notes | | | | | |
|--|-------------------------|---------------|---------------|---------------|-------------------------|---------------|---------------|---------------|---------------|--|
| 1st Topcoat Nuthane Gloss Topcoat | Nuthane Gloss TC Part A | | | | | | | | | |
| | Nuthane Gloss TC Part B | | | | | | | | | |
| BATCH NUMBERS | | Mix 1 | Mix 2 | Mix 3 | Mix 4 | Mix 5 | Mix 6 | Mix 7 | Mix 8 | |
| Nuthane Gloss TC Part A | | | | | | | | | | |
| Nuthane Gloss TC Part B | | | | | | | | | | |
| | | Mix 9 | Mix 10 | Mix 11 | Mix 12 | Mix 13 | Mix 14 | Mix 15 | Mix 16 | |
| Nuthane Gloss TC Part A | | | | | | | | | | |
| Nuthane Gloss TC Part B | | | | | | | | | | |
| | | Mix 17 | Mix 18 | Mix 19 | Mix 20 | Mix 21 | Mix 22 | Mix 23 | Mix 24 | |
| Nuthane Gloss TC Part A | | | | | | | | | | |
| Nuthane Gloss TC Part B | | | | | | | | | | |
| | | Mix 25 | Mix 26 | Mix 27 | Mix 28 | Mix 29 | Mix 30 | Mix 31 | Mix 32 | |
| Nuthane Gloss TC Part A | | | | | | | | | | |
| Nuthane Gloss TC Part B | | | | | | | | | | |
| | | Mix 33 | Mix 34 | Mix 35 | Mix 36 | Mix 37 | Mix 38 | Mix 39 | Mix 40 | |
| Nuthane Gloss TC Part A | | | | | | | | | | |
| Nuthane Gloss TC Part B | | | | | | | | | | |
| | | Mix 41 | Mix 42 | Mix 43 | Mix 44 | Mix 45 | Mix 46 | Mix 47 | Mix 48 | |
| Nuthane Gloss TC Part A | | | | | | | | | | |
| Nuthane Gloss TC Part B | | | | | | | | | | |
| | | Mix 49 | Mix 50 | Mix 51 | Mix 52 | Mix 53 | Mix 54 | Mix 55 | Mix 56 | |
| Nuthane Gloss TC Part A | | | | | | | | | | |
| Nuthane Gloss TC Part B | | | | | | | | | | |
| | | Mix 57 | Mix 58 | Mix 59 | Mix 60 | Mix 61 | Mix 62 | Mix 63 | Mix 64 | |
| Nuthane Gloss TC Part A | | | | | | | | | | |
| Nuthane Gloss TC Part B | | | | | | | | | | |
| | | Mix 65 | Mix 66 | Mix 67 | Mix 68 | Mix 69 | Mix 70 | Mix 71 | Mix 72 | |
| Nuthane Gloss TC Part A | | | | | | | | | | |
| Nuthane Gloss TC Part B | | | | | | | | | | |
| | | Mix 73 | Mix 74 | Mix 75 | Mix 76 | Mix 77 | Mix 78 | Mix 79 | Mix 80 | |
| Nuthane Gloss TC Part A | | | | | | | | | | |
| Nuthane Gloss TC Part B | | | | | | | | | | |

| Product | Mix Ratio | | | | Notes | | | | | |
|--|-------------------------|---------------|---------------|---------------|-------------------------|---------------|---------------|---------------|---------------|--|
| 2nd Topcoat Nuthane Gloss Topcoat | Nuthane Gloss TC Part A | | | | | | | | | |
| | Nuthane Gloss TC Part B | | | | | | | | | |
| BATCH NUMBERS | | Mix 1 | Mix 2 | Mix 3 | Mix 4 | Mix 5 | Mix 6 | Mix 7 | Mix 8 | |
| Nuthane Gloss TC Part A | | | | | | | | | | |
| Nuthane Gloss TC Part B | | | | | | | | | | |
| | | Mix 9 | Mix 10 | Mix 11 | Mix 12 | Mix 13 | Mix 14 | Mix 15 | Mix 16 | |
| Nuthane Gloss TC Part A | | | | | | | | | | |
| Nuthane Gloss TC Part B | | | | | | | | | | |
| | | Mix 17 | Mix 18 | Mix 19 | Mix 20 | Mix 21 | Mix 22 | Mix 23 | Mix 24 | |
| Nuthane Gloss TC Part A | | | | | | | | | | |
| Nuthane Gloss TC Part B | | | | | | | | | | |
| | | Mix 25 | Mix 26 | Mix 27 | Mix 28 | Mix 29 | Mix 30 | Mix 31 | Mix 32 | |
| Nuthane Gloss TC Part A | | | | | | | | | | |
| Nuthane Gloss TC Part B | | | | | | | | | | |
| | | Mix 33 | Mix 34 | Mix 35 | Mix 36 | Mix 37 | Mix 38 | Mix 39 | Mix 40 | |
| Nuthane Gloss TC Part A | | | | | | | | | | |
| Nuthane Gloss TC Part B | | | | | | | | | | |
| | | Mix 41 | Mix 42 | Mix 43 | Mix 44 | Mix 45 | Mix 46 | Mix 47 | Mix 48 | |
| Nuthane Gloss TC Part A | | | | | | | | | | |
| Nuthane Gloss TC Part B | | | | | | | | | | |
| | | Mix 49 | Mix 50 | Mix 51 | Mix 52 | Mix 53 | Mix 54 | Mix 55 | Mix 56 | |
| Nuthane Gloss TC Part A | | | | | | | | | | |
| Nuthane Gloss TC Part B | | | | | | | | | | |

Supadeck UV Topcoat

| Product | | Mix Ratio | | | Notes | | | | | |
|--|----------|-----------|---------|---------|-------------------------|---------|---------|---------|---------|--|
| 1 st Topcoat Supadeck UV Topcoat | Resin | 8 | Kg | | | | | | | |
| | Hardener | 0.848 | Kg | | | | | | | |
| BATCH NUMBERS | | Mix 1 | Mix 2 | Mix 3 | Mix 4 | Mix 5 | Mix 6 | Mix 7 | Mix 8 | |
| Supadeck UV Topcoat Part A | | | | | | | | | | |
| Supadeck UV Topcoat Part B | | | | | | | | | | |
| | | Mix 9 | Mix 10 | Mix 11 | Mix 12 | Mix 13 | Mix 14 | Mix 15 | Mix 16 | |
| Supadeck UV Topcoat Part A | | | | | | | | | | |
| Supadeck UV Topcoat Part B | | | | | | | | | | |
| | | Mix 17 | Mix 18 | Mix 19 | Mix 20 | Mix 21 | Mix 22 | Mix 23 | Mix 24 | |
| Supadeck UV Topcoat Part A | | | | | | | | | | |
| Supadeck UV Topcoat Part B | | | | | | | | | | |
| | | Mix 25 | Mix 26 | Mix 27 | Mix 28 | Mix 29 | Mix 30 | Mix 31 | Mix 32 | |
| Supadeck UV Topcoat Part A | | | | | | | | | | |
| Supadeck UV Topcoat Part B | | | | | | | | | | |
| | | Mix 33 | Mix 34 | Mix 35 | Mix 36 | Mix 37 | Mix 38 | Mix 39 | Mix 40 | |
| Supadeck UV Topcoat Part A | | | | | | | | | | |
| Supadeck UV Topcoat Part B | | | | | | | | | | |
| | | Mix 41 | Mix 42 | Mix 43 | Mix 44 | Mix 45 | Mix 46 | Mix 47 | Mix 48 | |
| Supadeck UV Topcoat Part A | | | | | | | | | | |
| Supadeck UV Topcoat Part B | | | | | | | | | | |
| | | Mix 49 | Mix 50 | Mix 51 | Mix 52 | Mix 53 | Mix 54 | Mix 55 | Mix 56 | |
| Supadeck UV Topcoat Part A | | | | | | | | | | |
| Supadeck UV Topcoat Part B | | | | | | | | | | |
| | | Mix 57 | Mix 58 | Mix 59 | Mix 60 | Mix 61 | Mix 62 | Mix 63 | Mix 64 | |
| Supadeck UV Topcoat Part A | | | | | | | | | | |
| Supadeck UV Topcoat Part B | | | | | | | | | | |
| | | Mix 65 | Mix 66 | Mix 67 | Mix 68 | Mix 69 | Mix 70 | Mix 71 | Mix 72 | |
| Supadeck UV Topcoat Part A | | | | | | | | | | |
| Supadeck UV Topcoat Part B | | | | | | | | | | |
| | | Mix 73 | Mix 74 | Mix 75 | Mix 76 | Mix 77 | Mix 78 | Mix 79 | Mix 80 | |
| Supadeck UV Topcoat Part A | | | | | | | | | | |
| Supadeck UV Topcoat Part B | | | | | | | | | | |
| | | Mix 81 | Mix 82 | Mix 83 | Mix 84 | Mix 85 | Mix 86 | Mix 87 | Mix 88 | |
| Supadeck UV Topcoat Part A | | | | | | | | | | |
| Supadeck UV Topcoat Part B | | | | | | | | | | |
| | | Mix 89 | Mix 90 | Mix 91 | Mix 92 | Mix 93 | Mix 94 | Mix 95 | Mix 96 | |
| Supadeck UV Topcoat Part A | | | | | | | | | | |
| Supadeck UV Topcoat Part B | | | | | | | | | | |
| | | Mix 97 | Mix 98 | Mix 99 | Mix 100 | Mix 101 | Mix 102 | Mix 103 | Mix 104 | |
| Supadeck UV Topcoat Part A | | | | | | | | | | |
| Supadeck UV Topcoat Part B | | | | | | | | | | |
| | | Mix 105 | Mix 106 | Mix 107 | Mix 108 | Mix 109 | Mix 110 | Mix 111 | Mix 112 | |
| Supadeck UV Topcoat Part A | | | | | | | | | | |
| Supadeck UV Topcoat Part B | | | | | | | | | | |

