



Quality Control Documentation

System Type
Resin Flooring

Product
Surecote 200 Vessca SLE – Standard Smooth Finish
Surecote 200 Vessca SLE – with Revathane Topcoats

Bondlast | Document QC.RF.1 - Quality Control Sheet – Surecote 200 Vessca SLE

This sheet is to be completed by the Site Supervisor and a copy provided to the client at the completion of the Contract.
 This form is used in conjunction with the QC RF.2 site checklist, and the QC RF.3 mix control sheet.
 All forms are to be filed in the appropriate manner and are to be made available to DGL Bondlast Construction Products as required.

PROJECT		
Project:	Owner(s):	Builder:
Name:	Name:	Name:
Address: Suburb: City:	Address: Suburb: City:	Address: Suburb: City:
Location of Installation on Site:	Owners Contact Details:	Builders Contact Details:
Area 1: Area 2: Area 3: Area 4:	Phone: Mobile: Email:	Phone: Mobile: Email:

BONDLAST CONSTRUCTION PRODUCTS CONTRACTOR														
Contracting Company:	The contractor is on the list of approved Bondlast Applicators for this installation:	Contractor Site Supervisor(s):												
Name: Address: Suburb: City:	<input type="checkbox"/> Yes <table border="1"> <tr> <td>Contractor Licence #</td> <td></td> </tr> <tr> <td>Date of Expiry</td> <td></td> </tr> </table> <input type="checkbox"/> No	Contractor Licence #		Date of Expiry		Name: Name: Name:								
Contractor Licence #														
Date of Expiry														
Installation Team:	Date Started:	Date Completed:												
Name: Name: Name: Name: Name: Name:	<table border="1"> <tr> <td>Day</td> <td>Month</td> <td>Year</td> </tr> <tr> <td></td> <td></td> <td></td> </tr> </table>	Day	Month	Year				<table border="1"> <tr> <td>Day</td> <td>Month</td> <td>Year</td> </tr> <tr> <td></td> <td></td> <td></td> </tr> </table>	Day	Month	Year			
Day	Month	Year												
Day	Month	Year												

PRODUCT																							
System Installation Type:	System Specified Finished Thickness:	System Application Process:																					
<input type="checkbox"/> Surecote 200 Vessca SLE Colour <input type="text"/>	<table border="1"> <tr> <td>Minimum</td> <td>3mm</td> <td>mm</td> </tr> <tr> <td>Actual</td> <td></td> <td>mm</td> </tr> </table>	Minimum	3mm	mm	Actual		mm	<input type="checkbox"/> Surface Preparation <input type="checkbox"/> Primer <input type="checkbox"/> Surecote 200 Scratch Coat <input type="checkbox"/> Surecote 200 Vessca SLE <input type="checkbox"/> <i>Optional Topcoats</i>															
Minimum	3mm	mm																					
Actual		mm																					
Optional Clear Topcoats:	Floor Joint & Penetration Systems Used:																						
<table border="1"> <tr> <th>Topcoat Type</th> </tr> <tr> <td><input type="checkbox"/> Revathane</td> </tr> <tr> <td><input type="checkbox"/> Supadeck UV Clear</td> </tr> </table> <table border="1"> <tr> <th>Number of Topcoats</th> </tr> <tr> <td><input type="checkbox"/> 1</td> </tr> <tr> <td><input type="checkbox"/> 2</td> </tr> <tr> <td><input type="checkbox"/> 3</td> </tr> <tr> <td><input type="checkbox"/> Other (Please Specify)</td> </tr> <tr> <td>.....</td> </tr> <tr> <td>.....</td> </tr> </table>	Topcoat Type	<input type="checkbox"/> Revathane	<input type="checkbox"/> Supadeck UV Clear	Number of Topcoats	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> Other (Please Specify)	<table border="1"> <tr> <th>Floor Joint Sealant</th> </tr> <tr> <td><input type="checkbox"/> Sabrebond SMP 60</td> </tr> <tr> <td><input type="checkbox"/> K130</td> </tr> <tr> <td><input type="checkbox"/> Other (Please Specify)</td> </tr> <tr> <td><input type="checkbox"/> Not Applicable</td> </tr> <tr> <td>.....</td> </tr> </table> <table border="1"> <tr> <th>Cove Strip and Penetration Sealant</th> </tr> <tr> <td><input type="checkbox"/> Sabre Seal CR</td> </tr> <tr> <td><input type="checkbox"/> Other (Please Specify)</td> </tr> <tr> <td><input type="checkbox"/> Not Applicable</td> </tr> <tr> <td>.....</td> </tr> </table>		Floor Joint Sealant	<input type="checkbox"/> Sabrebond SMP 60	<input type="checkbox"/> K130	<input type="checkbox"/> Other (Please Specify)	<input type="checkbox"/> Not Applicable	Cove Strip and Penetration Sealant	<input type="checkbox"/> Sabre Seal CR	<input type="checkbox"/> Other (Please Specify)	<input type="checkbox"/> Not Applicable
Topcoat Type																							
<input type="checkbox"/> Revathane																							
<input type="checkbox"/> Supadeck UV Clear																							
Number of Topcoats																							
<input type="checkbox"/> 1																							
<input type="checkbox"/> 2																							
<input type="checkbox"/> 3																							
<input type="checkbox"/> Other (Please Specify)																							
.....																							
.....																							
Floor Joint Sealant																							
<input type="checkbox"/> Sabrebond SMP 60																							
<input type="checkbox"/> K130																							
<input type="checkbox"/> Other (Please Specify)																							
<input type="checkbox"/> Not Applicable																							
.....																							
Cove Strip and Penetration Sealant																							
<input type="checkbox"/> Sabre Seal CR																							
<input type="checkbox"/> Other (Please Specify)																							
<input type="checkbox"/> Not Applicable																							
.....																							

FLOOR CONSTRUCTION

Substrate:	Substrate – Installation Date:	Levels in substrate correct:						
<input type="checkbox"/> New Concrete <input type="checkbox"/> Existing Concrete <input type="checkbox"/> Fibre Cement <input type="checkbox"/> Plywood <input type="checkbox"/> Other (Please Specify)	<table border="1" style="width: 100%;"> <tr> <td style="width: 33%; text-align: center;">Day</td> <td style="width: 33%; text-align: center;">Month</td> <td style="width: 33%; text-align: center;">Year</td> </tr> <tr> <td style="height: 20px;"></td> <td></td> <td></td> </tr> </table> <input type="checkbox"/> Information unobtainable	Day	Month	Year				<input type="checkbox"/> Yes <input type="checkbox"/> No If no refer to Substrate Repair section
Day	Month	Year						

WALL UPSTAND DETAILS

Wall Details:	Coves / Upstands required:	Wall to floor junction detail – Fibreglass Reinforcement:
<input type="checkbox"/> Insitu Concrete / Concrete Panel <input type="checkbox"/> Concrete Block <input type="checkbox"/> Insulated Panel <input type="checkbox"/> Plywood <input type="checkbox"/> Fibrecement <input type="checkbox"/> Other (Please Specify) <input type="checkbox"/> Not Applicable	<input type="checkbox"/> Yes <input type="checkbox"/> No If yes: height required <input style="width: 40px;" type="text"/> mm Cove radius required <input style="width: 40px;" type="text"/> mm	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Applicable

Cove Matrix Type:	Cove Capping:	Cove Installation:
<input type="checkbox"/> Supascreed <input type="checkbox"/> Rapid Patch 40 <input type="checkbox"/> Other (Please Specify) <input type="checkbox"/> Not Applicable	<input type="checkbox"/> STZ Cove Strip 5.2mm <input type="checkbox"/> STZ Cove Strip 9.2mm - rebate <input type="checkbox"/> Other (Please Specify) <input type="checkbox"/> Not Applicable	Building Site Supervisor: Name: Date of acceptance: Signed:

SUBSTRATE PREPARATION

Surface Preparation: - Floor	Surface Preparation: - Upstand	Acceptance of Surface Preparation:
<input type="checkbox"/> Captive Shot-blasting <input type="checkbox"/> Diamond Grinding – Utilizing Bush Hammers <input type="checkbox"/> Sanding <input type="checkbox"/> Other (Please Specify)	<input type="checkbox"/> Diamond Grinding <input type="checkbox"/> Sanding <input type="checkbox"/> Other (Please Specify)	Installation Contractor Site Supervisor: Name: Date of acceptance: Signed:

SUBSTRATE REPAIR – FLOORS | UPSTAND

Substrate repair required:	Substrate Cracks / Joints:	Prefill Levelling required:
<input type="checkbox"/> Yes – spalling <input type="checkbox"/> Yes - substrate deviation <input type="checkbox"/> Not Applicable	<input type="checkbox"/> Filled <input type="checkbox"/> Slip Tape / Fibreglass bandage <input type="checkbox"/> Other (Please Specify) <input type="checkbox"/> Not Applicable	<input type="checkbox"/> Yes - fill deflections to level <input type="checkbox"/> Not Applicable

Prefill Levelling Matrix Type:	Prefill – Levels: Client Acceptance:	
<input type="checkbox"/> STZ Epoxy Prefill - Supascreed <input type="checkbox"/> Supascreed Vessca <input type="checkbox"/> Surecote System 500 Vessca <input type="checkbox"/> Screed 20* <input type="checkbox"/> Other (Please Specify) <input type="checkbox"/> Not Applicable	Building Site Supervisor: Name: Date of acceptance: Signed:	

PROTECTION OF FLOOR

Protection of floor required:	Type of Protection:	Contractor Installed Protection as per Specification:
<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> No – protected by Main Contractor or others 	<input type="checkbox"/> Plastic <input type="checkbox"/> Cardboard <input type="checkbox"/> Plywood <input type="checkbox"/> Custom wood <input type="checkbox"/> Other (Please Specify) 	Building Site Supervisor: Name: Date of acceptance: Signed: Comments

DURATION SITE CONDITIONS

Site Conditions – External:	Site Conditions – Internal:	Ambient Site Temperatures (from QC3):
<input type="checkbox"/> Fine <input type="checkbox"/> Warm <input type="checkbox"/> Wet <input type="checkbox"/> Cold Comments	<input type="checkbox"/> Building Open <input type="checkbox"/> Building Enclosed <input type="checkbox"/> Natural Lighting <input type="checkbox"/> Overhead Lighting <input type="checkbox"/> Spotlights Comments	<input type="checkbox"/> Refer: QC3 Documents

RECORDS

Photo records taken during stages of:	Bondlast Construction Products Site Visit:	Bondlast Construction Products Personnel:
<input type="checkbox"/> Moisture Test Results <input type="checkbox"/> Ambient Temperature Test Results <input type="checkbox"/> Relative Humidity Test Results <input type="checkbox"/> Substrate Surface Preparation <input type="checkbox"/> Cove Reinforcement <input type="checkbox"/> Surface Preparation at Doorways <input type="checkbox"/> No (If no, please specify reason as the photographs are proof of compliance)	<input type="checkbox"/> Yes <input type="checkbox"/> No Comments	Name: Date: Signed: Number of Visits: Name: Date: Signed: Number of Visits:

Damage to Floors by Other Trades:	Damage to Site by Contractor:
<input type="checkbox"/> No <input type="checkbox"/> Yes (please specify reason)	<input type="checkbox"/> No <input type="checkbox"/> Yes (please specify reason)

FLOORING INSTALLER
Contract completed to specification

Yes
 No (please specify reason)

BUILDING SITE SUPERVISOR
Contract completed to specification

Name:
 Date of acceptance:
 Signed:

FINAL JOB APPROVAL
All stages are complete to the Specification Documents

JOB APPROVAL / CLIENT
All stages are complete to the Specification Documents

Installation Contractor Principal

Name:
 Signed:
 Date:

Client or Clients Representative

Name:
 Signed:
 Date:

Bondlast | Document QC.RF.2 - Quality Control Sheet – Surecote 200 Vessca SLE

This sheet is to be completed by the Site Supervisor and a copy provided to the client at the completion of the Contract.
 This form is used in conjunction with the QC RF.1 site checklist, and the QC RF.3 mix control sheet.
 All forms are to be filed in the appropriate manner and are to be made available to DGL Bondlast Construction Products as required.

PRE-START		
Work instructions available:	Work instructions clear & concise:	Surface preparation method specified:
<input type="checkbox"/> Yes <input type="checkbox"/> No Comments	<input type="checkbox"/> Yes <input type="checkbox"/> No Comments	<input type="checkbox"/> Yes <input type="checkbox"/> No Comments
Pre-fill requirements specified:	System thickness specified:	Colour as specified:
<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not applicable Comments	<input type="checkbox"/> Yes <input type="checkbox"/> No Comments	<input type="checkbox"/> Yes <input type="checkbox"/> No Comments
Option Clear Topcoat / number of coats specified:	Cove height specified:	Cove radius specified:
<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Applicable Comments	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Applicable Comments	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Applicable Comments
Cove capping specified:	Bondlast Flooring QC sheets on site:	Bondlast technical literature / formulations on site:
<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Applicable Comments	<input type="checkbox"/> Yes <input type="checkbox"/> No Comments	<input type="checkbox"/> Yes <input type="checkbox"/> No Comments
Client sample approved:		
<input type="checkbox"/> Yes <input type="checkbox"/> No Comments		
HEALTH SAFETY & ENVIRONMENT		
Trained staff identified:	SDS on site:	DG site signs on site:
<input type="checkbox"/> Yes <input type="checkbox"/> No Comments	<input type="checkbox"/> Yes <input type="checkbox"/> No Comments	<input type="checkbox"/> Yes <input type="checkbox"/> No Comments

All PPE available for installation:	Electrical equipment tagged & current:	Fire Extinguishers:
<input type="checkbox"/> Yes <input type="checkbox"/> No Comments	<input type="checkbox"/> Yes <input type="checkbox"/> No Comments	<input type="checkbox"/> Yes <input type="checkbox"/> No Comments

Installation areas isolated with Danger Tape	Identified Spill Kits:	Waste disposal available:
<input type="checkbox"/> Yes <input type="checkbox"/> No Comments	<input type="checkbox"/> Yes <input type="checkbox"/> No Comments	<input type="checkbox"/> Yes <input type="checkbox"/> Waste to be removed from site Comments

SURFACE PREPARATION

Preparation acceptable (including upstands and panel):	Floor clean and dry:	Joints cut out clean:
<input type="checkbox"/> Yes <input type="checkbox"/> No Comments	<input type="checkbox"/> Yes <input type="checkbox"/> No Comments	<input type="checkbox"/> Yes <input type="checkbox"/> No Comments

Swept and vacuumed:	Moisture content correct:	
<input type="checkbox"/> Yes <input type="checkbox"/> No Comments	<input type="checkbox"/> Yes <input type="checkbox"/> No Comments	

MIXING & EQUIPMENT

Resin and aggregate scales:	Measuring by weight:	Mixing equipment correct:
<input type="checkbox"/> Yes - Required as part of the system Comments	<input type="checkbox"/> Yes - Required as part of the system Comments	<input type="checkbox"/> Yes <input type="checkbox"/> No Comments

Bondlast QC mixing sheets filled in correctly:	Mix area clean and tidy:	Mix area isolated from other Trades:
<input type="checkbox"/> Yes <input type="checkbox"/> No Comments	<input type="checkbox"/> Yes <input type="checkbox"/> No Comments	<input type="checkbox"/> Yes <input type="checkbox"/> No Comments

INSTALLATION

Correct tools available for installation:	Prefill installation correct as specified:	Fibre reinforcement to upstands:
<input type="checkbox"/> Yes <input type="checkbox"/> No Comments	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not applicable Comments	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not applicable Comments

<p>Cove radius and installation correct:</p> <p><input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Applicable</p> <p>Comments </p>	<p>Cove Capping installed correctly - Incl. sealant:</p> <p><input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not applicable</p> <p>Comments </p>	<p>Coating System to correct thickness:</p> <p><input type="checkbox"/> Yes <input type="checkbox"/> No</p> <p>Comments </p>
<p>Colour even:</p> <p><input type="checkbox"/> Yes <input type="checkbox"/> No</p> <p>Comments </p>	<p>Optional Topcoats applied correctly:</p> <p><input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not applicable</p> <p>Comments </p>	<p>Construction joints carried and cut through:</p> <p><input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not applicable</p> <p>Comments </p>
<p>Jointing detail good:</p> <p><input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Applicable</p> <p>Comments </p>	<p>Visual aspect of installed topping to required standard:</p> <p><input type="checkbox"/> Yes <input type="checkbox"/> No</p> <p>Comments </p>	
COMPLETION		
<p>Site clean-up:</p> <p><input type="checkbox"/> Yes <input type="checkbox"/> No</p> <p>Comment </p>	<p>Floor protected:</p> <p><input type="checkbox"/> Yes <input type="checkbox"/> No</p> <p>Comments </p>	<p>Client sign -off:</p> <p><input type="checkbox"/> Yes <input type="checkbox"/> No</p> <p>Comments </p>

I/We agree that the above is correct.

Name: Signed: Date:/...../.....

Disclaimer:
DGL Bondlast Construction Products Quality Checklists are an internal business tool for members of the DGL Bondlast Construction Products Contractors Federation Inc. They are a snapshot of contractor activity and do not necessarily indicate continuous business performance or on-site skills. It in no way implies any site responsibility by DGL Bondlast Construction Products. Full site responsibility resides with the contractor.

Bondlast | Document QC.RF.3 - Quality Control Sheet – Surecote 200 Vessca SLE

This sheet is to be completed by the Site Supervisor and a copy provided to the client at the completion of the Contract.
 This form is used in conjunction with the QC RF.1 Site Sheet and the QC RF.2 Site Checklist.
 All forms are to be filed in the appropriate manner and are to be made available to DGL Bondlast Construction Products as required.

Project:																																																																																			
Location On Site:		L1:				L2:				L3:				L4:																																																																					
AMBIENT TEMPERATURE																																																																																			
* To be recorded minimum twice daily or when atmospheric conditions are observed Installation range +10°C - +35°C																																																																																			
AM				PM				AM				PM				AM				PM																																																															
D1				D2				D3				D4				D5				D6				D7				D8				D9				D10				D11				D12				D13				D14				D15				D16				D17				D18				D19				D20				D21			
D4				D5				D6				D7				D8				D9				D10				D11				D12				D13				D14				D15				D16				D17				D18				D19				D20				D21															
D7				D8				D9				D10				D11				D12				D13				D14				D15				D16				D17				D18				D19				D20				D21																											
D10				D11				D12				D13				D14				D15				D16				D17				D18				D19				D20				D21																																							
D13				D14				D15				D16				D17				D18				D19				D20				D21																																																			
D16				D17				D18				D19				D20				D21																																																															
D19				D20				D21																																																																											
RELATIVE HUMIDITY																																																																																			
* To be recorded minimum twice daily or when atmospheric conditions are observed Installation should not take place above 85% RH																																																																																			
D1				D2				D3				D4				D5				D6				D7				D8				D9				D10				D11				D12				D13				D14				D15				D16				D17				D18				D19				D20				D21			
D4				D5				D6				D7				D8				D9				D10				D11				D12				D13				D14				D15				D16				D17				D18				D19				D20				D21															
D7				D8				D9				D10				D11				D12				D13				D14				D15				D16				D17				D18				D19				D20				D21																											
D10				D11				D12				D13				D14				D15				D16				D17				D18				D19				D20				D21																																							
D13				D14				D15				D16				D17				D18				D19				D20				D21																																																			
D16				D17				D18				D19				D20				D21																																																															
D19				D20				D21																																																																											
DEW POINT																																																																																			
* To be recorded minimum twice daily or when atmospheric conditions are observed All resin applications should take place at 3°C above the room dew point avoiding moisture issues.																																																																																			
D1				D2				D3				D4				D5				D6				D7				D8				D9				D10				D11				D12				D13				D14				D15				D16				D17				D18				D19				D20				D21			
D4				D5				D6				D7				D8				D9				D10				D11				D12				D13				D14				D15				D16				D17				D18				D19				D20				D21															
D7				D8				D9				D10				D11				D12				D13				D14				D15				D16				D17				D18				D19				D20				D21																											
D10				D11				D12				D13				D14				D15				D16				D17				D18				D19				D20				D21																																							
D13				D14				D15				D16				D17				D18				D19				D20				D21																																																			
D16				D17				D18				D19				D20				D21																																																															
D19				D20				D21																																																																											
% SUBSTRATE MOISTURE																																																																																			
* To be recorded daily at random points every 50 m ² of area to be installed Moisture content to be <75% RH																																																																																			
D1				D2				D3				D4				D5				D6				D7				D8				D9				D10				D11				D12				D13				D14				D15				D16				D17				D18				D19				D20				D21			
D2				D3				D4				D5				D6				D7				D8				D9				D10				D11				D12				D13				D14				D15				D16				D17				D18				D19				D20				D21							
D3				D4				D5				D6				D7				D8				D9				D10				D11				D12				D13				D14				D15				D16				D17				D18				D19				D20				D21											
D4				D5				D6				D7				D8				D9				D10				D11				D12				D13				D14				D15				D16				D17				D18				D19				D20				D21															
D5				D6				D7				D8				D9				D10				D11				D12				D13				D14				D15				D16				D17				D18				D19				D20				D21																			
D6				D7				D8				D9				D10				D11				D12				D13				D14				D15				D16				D17				D18				D19				D20				D21																							
D7				D8				D9				D10				D11				D12				D13				D14				D15				D16				D17				D18				D19				D20				D21																											
D8				D9				D10				D11				D12				D13				D14				D15				D16				D17				D18				D19				D20				D21																															
D9				D10				D11				D12				D13				D14				D15				D16				D17				D18				D19				D20				D21																																			
D10				D11				D12				D13				D14				D15				D16				D17				D18				D19				D20				D21																																							
D11				D12				D13				D14				D15				D16				D17				D18				D19				D20				D21																																											
D12				D13				D14				D15				D16				D17				D18				D19				D20				D21																																															
D13				D14				D15				D16				D17				D18				D19				D20				D21																																																			
D14				D15				D16				D17				D18				D19				D20				D21																																																							
D15				D16				D17				D18				D19				D20				D21																																																											
D16				D17				D18				D19				D20				D21																																																															
D17				D18				D19				D20				D21																																																																			
D18				D19				D20				D21																																																																							
D19				D20				D21																																																																											
D20				D21																																																																															
D21																																																																																			

If the location of installation changes, please add location number to Day of Testing – only put location numbers when a change takes place. Please see example below

D1	L1:	44%	46%	D2	44%	46%	D3	L3:	47%	48%
----	-----	-----	-----	----	-----	-----	----	-----	-----	-----

Batch Control:

DGL Bondlast Construction Products QC Documentation – Resin Flooring November 2025

BATCH CONTROL

Insert Batch Number in box and use " in following boxes until Batch Number Change occurs, then write that batch number in etc.
Please follow this system through the QC sheets.

Examples below

Surecote 200 Resin	PN300028
Surecote 200 Hardener	4489008
Surecote 200 Resin	"
Surecote 200 Hardener	"
Surecote 200 Resin	PN400045
Surecote 200 Hardener	"

Mix Control

Please place a ✓ in each mix box for each mix.	Mix
	✓

Location Control

If the location of installation changes, please add location number to Mix Number – only put location numbers when a change takes place. Please see example below							
Mix 1	Mix 2	Mix 3	Mix 4	Mix 5	Mix 6	Mix 7	Mix 8
L1: ✓	✓	✓	✓	✓	✓	L3: ✓	✓

PREFILL – Options

STZ EPOXY PREFILL

Use STZ Epoxy Prefill Document "QC.RF.4" and attach to this document

STZ SCREED 20*

Use STZ Screed 20* Prefill Document "QC.RF.4" and attach to this document

COVES | UPSTANDS

Option 1 – Coves | Upstands

Product		Mix Ratio			Notes				
Supascreed Aggregate type		Resin		kg				
		Hardener		kg					
		Aggregate 1		kg					
		Aggregate 2		kg					
		Aggregate 3		kg					
BATCH NUMBERS		Mix 1	Mix 2	Mix 3	Mix 4	Mix 5	Mix 6	Mix 7	Mix 8
Supascreed Resin:									
Supascreed Hardener:									
		Mix 9	Mix 10	Mix 11	Mix 12	Mix 13	Mix 14	Mix 15	Mix 16
Supascreed Resin:									
Supascreed Hardener:									
		Mix 17	Mix 18	Mix 19	Mix 20	Mix 21	Mix 22	Mix 23	Mix 24
Supascreed Resin:									
Supascreed Hardener:									
		Mix 25	Mix 26	Mix 27	Mix 28	Mix 29	Mix 30	Mix 31	Mix 32
Supascreed Resin:									
Supascreed Hardener:									
		Mix 33	Mix 34	Mix 35	Mix 36	Mix 37	Mix 38	Mix 39	Mix 40
Supascreed Resin:									
Supascreed Hardener:									
		Mix 41	Mix 42	Mix 43	Mix 44	Mix 45	Mix 46	Mix 47	Mix 48
Supascreed Resin:									
Supascreed Hardener:									
		Mix 49	Mix 50	Mix 51	Mix 52	Mix 53	Mix 54	Mix 55	Mix 56
Supascreed Resin:									
Supascreed Hardener:									
		Mix 57	Mix 58	Mix 59	Mix 60	Mix 61	Mix 62	Mix 63	Mix 64
Supascreed Resin:									
Supascreed Hardener:									
		Mix 65	Mix 66	Mix 67	Mix 68	Mix 69	Mix 70	Mix 71	Mix 72
Supascreed Resin:									
Supascreed Hardener:									
		Mix 73	Mix 74	Mix 75	Mix 76	Mix 77	Mix 78	Mix 79	Mix 80
Supascreed Resin:									
Supascreed Hardener:									
		Mix 81	Mix 82	Mix 83	Mix 84	Mix 85	Mix 86	Mix 87	Mix 88
Supascreed Resin:									
Supascreed Hardener:									

Option 2 – Small Radius Fillet Covers

Product		Mix Ratio			Notes				
Rapidpatch 40		Rapidpatch		kg				
		Water		Litres					
BATCH NUMBERS		Mix 1	Mix 2	Mix 3	Mix 4	Mix 5	Mix 6	Mix 7	Mix 8
Rapidpatch 40:									
		Mix 9	Mix 10	Mix 11	Mix 12	Mix 13	Mix 14	Mix 15	Mix 16
Rapidpatch 40:									
		Mix 17	Mix 18	Mix 19	Mix 20	Mix 21	Mix 22	Mix 23	Mix 24
Rapidpatch 40:									
		Mix 25	Mix 26	Mix 27	Mix 28	Mix 29	Mix 30	Mix 31	Mix 32
Rapidpatch 40:									
		Mix 33	Mix 34	Mix 35	Mix 36	Mix 37	Mix 38	Mix 39	Mix 40
Rapidpatch 40:									
		Mix 41	Mix 42	Mix 43	Mix 44	Mix 45	Mix 46	Mix 47	Mix 48
Rapidpatch 40:									
		Mix 49	Mix 50	Mix 51	Mix 52	Mix 53	Mix 54	Mix 55	Mix 56
Rapidpatch 40:									
		Mix 57	Mix 58	Mix 59	Mix 60	Mix 61	Mix 62	Mix 63	Mix 64
Rapidpatch 40:									
		Mix 65	Mix 66	Mix 67	Mix 68	Mix 69	Mix 70	Mix 71	Mix 72
Rapidpatch 40:									
		Mix 73	Mix 74	Mix 75	Mix 76	Mix 77	Mix 78	Mix 79	Mix 80
Rapidpatch 40:									
		Mix 81	Mix 82	Mix 83	Mix 84	Mix 85	Mix 86	Mix 87	Mix 88
Rapidpatch 40:									

PRIMER SYSTEMS

Primer System - Type A

Product	Mix Ratio			Notes														
Supascreed Primer	<i>Mix Resin and Hardener together in correct quantities and add water.</i>			<i>Correct Mix Ratio - Full Kit</i>														
	Resin		litres	<table border="1" style="margin-left: auto; margin-right: auto;"> <tr> <td>Resin</td> <td>2.4</td> <td>litres</td> </tr> <tr> <td>Hardener</td> <td>4</td> <td>litres</td> </tr> <tr> <td>Water</td> <td>2.4</td> <td>litres</td> </tr> </table>						Resin	2.4	litres	Hardener	4	litres	Water	2.4	litres
	Resin	2.4	litres															
	Hardener	4	litres															
Water	2.4	litres																
Hardener		litres																
Water		litres	<i>Ensure correct ratios are achieved if splitting kit</i>															
BATCH NUMBERS		Mix 1	Mix 2	Mix 3	Mix 4	Mix 5	Mix 6	Mix 7	Mix 8									
Supascreed Primer Kit:																		
		Mix 9	Mix 10	Mix 11	Mix 12	Mix 13	Mix 14	Mix 15	Mix 16									
Supascreed Primer Kit:																		
		Mix 17	Mix 18	Mix 19	Mix 20	Mix 21	Mix 22	Mix 23	Mix 24									
Supascreed Primer Kit:																		
		Mix 25	Mix 26	Mix 27	Mix 28	Mix 29	Mix 30	Mix 31	Mix 32									
Supascreed Primer Kit:																		

Primer System Type B

Product	Mix Ratio			Notes														
Surecote 200 <i>Thinned</i>	<i>Mix Resin and Hardener together in correct quantities and add Solvent HA</i>			<i>Sample mix in correct proportions</i>														
	Resin		kgs	<table border="1" style="margin-left: auto; margin-right: auto;"> <tr> <td>Resin</td> <td>5</td> <td>kg</td> </tr> <tr> <td>Hardener</td> <td>1</td> <td>kg</td> </tr> <tr> <td>Solvent HA</td> <td>600</td> <td>grams</td> </tr> </table>						Resin	5	kg	Hardener	1	kg	Solvent HA	600	grams
	Resin	5	kg															
	Hardener	1	kg															
Solvent HA	600	grams																
Hardener		kgs																
Solvent HA		grams kg	<i>Ensure correct ratios are achieved if splitting kit</i>															
BATCH NUMBERS		Mix 1	Mix 2	Mix 3	Mix 4	Mix 5	Mix 6	Mix 7	Mix 8									
Surecote 200 Resin:																		
Surecote 200 Hardener:																		
		Mix 9	Mix 10	Mix 11	Mix 12	Mix 13	Mix 14	Mix 15	Mix 16									
Surecote 200 Resin:																		
Surecote 200 Hardener:																		
		Mix 17	Mix 18	Mix 19	Mix 20	Mix 21	Mix 22	Mix 23	Mix 24									
Surecote 200 Resin:																		
Surecote 200 Hardener:																		
		Mix 25	Mix 26	Mix 27	Mix 28	Mix 29	Mix 30	Mix 31	Mix 32									
Surecote 200 Resin:																		
Surecote 200 Hardener:																		
		Mix 33	Mix 34	Mix 35	Mix 36	Mix 37	Mix 38	Mix 39	Mix 40									
Surecote 200 Resin:																		
Surecote 200 Hardener:																		

FLOOR MATRIX

Product	Mix Ratio			Notes													
Surecote 200 Vessca SLE	<i>Do not use any Solvent in the mix</i>			<i>Pigmenting Resin</i> <i>When using a clear base and adding a pigment pack to it</i>													
	Resin		kg	<table border="1"> <tr> <td>Resin</td> <td>20 (12)</td> <td>Kg (litres)</td> </tr> <tr> <td>Pigment</td> <td>700</td> <td>Grams</td> </tr> </table>						Resin	20 (12)	Kg (litres)	Pigment	700	Grams		
	Resin	20 (12)	Kg (litres)														
	Pigment	700	Grams														
	Hardener		kg	<table border="1"> <tr> <td colspan="2">Pigment Batch Number</td> <td></td> </tr> <tr> <td colspan="3">.....</td> </tr> <tr> <td colspan="3">.....</td> </tr> </table>						Pigment Batch Number			
Pigment Batch Number																	
.....																	
.....																	
Vessca Powder		kg	<table border="1"> <tr> <td>Resin</td> <td>10</td> <td>kg</td> </tr> <tr> <td>Hardener</td> <td>2</td> <td>kg</td> </tr> <tr> <td>Vessca Powder</td> <td>6</td> <td>kg</td> </tr> </table>						Resin	10	kg	Hardener	2	kg	Vessca Powder	6	kg
Resin	10	kg															
Hardener	2	kg															
Vessca Powder	6	kg															
<i>Sample mix in correct proportions</i> <i>Refer to Method Statement for Mix Ratio options to ensure compliance with Specification</i>																	
BATCH NUMBERS				Mix 1	Mix 2	Mix 3	Mix 4	Mix 5	Mix 6	Mix 7	Mix 8						
Surecote 200 Resin:																	
Surecote 200 Hardener:																	
Vessca Powder:																	
			Mix 9	Mix 10	Mix 11	Mix 12	Mix 13	Mix 14	Mix 15	Mix 16							
Surecote 200 Resin:																	
Surecote 200 Hardener:																	
Vessca Powder:																	
			Mix 17	Mix 18	Mix 19	Mix 20	Mix 21	Mix 22	Mix 23	Mix 24							
Supascreed Resin:																	
Surecote 200 Hardener:																	
Vessca Powder:																	
			Mix 25	Mix 26	Mix 27	Mix 28	Mix 29	Mix 30	Mix 31	Mix 32							
Surecote 200 Resin:																	
Surecote 200 Hardener:																	
Vessca Powder:																	
			Mix 33	Mix 34	Mix 35	Mix 36	Mix 37	Mix 38	Mix 39	Mix 40							
Surecote 200 Resin:																	
Surecote 200 Hardener:																	
Vessca Powder:																	
			Mix 41	Mix 42	Mix 43	Mix 44	Mix 45	Mix 46	Mix 47	Mix 48							
Surecote 200 Resin:																	
Surecote 200 Hardener:																	
Vessca Powder:																	
			Mix 49	Mix 50	Mix 51	Mix 52	Mix 53	Mix 54	Mix 55	Mix 56							
Surecote 200 Resin:																	
Surecote 200 Hardener:																	
Vessca Powder:																	
			Mix 57	Mix 58	Mix 59	Mix 60	Mix 61	Mix 62	Mix 63	Mix 64							
Supascreed Resin:																	
Surecote 200 Hardener:																	
Vessca Powder:																	
			Mix 65	Mix 66	Mix 67	Mix 68	Mix 69	Mix 70	Mix 71	Mix 72							
Surecote 200 Resin:																	
Surecote 200 Hardener:																	
Vessca Powder:																	
			Mix 73	Mix 74	Mix 75	Mix 76	Mix 77	Mix 78	Mix 79	Mix 80							
Surecote 200 Resin:																	
Surecote 200 Hardener:																	
Vessca Powder:																	
			Mix 81	Mix 82	Mix 83	Mix 84	Mix 85	Mix 86	Mix 87	Mix 88							
Surecote 200 Resin:																	
Surecote 200 Hardener:																	
Vessca Powder:																	
			Mix 89	Mix 90	Mix 91	Mix 92	Mix 93	Mix 94	Mix 95	Mix 96							
Surecote 200 Resin:																	
Surecote 200 Hardener:																	
Vessca Powder:																	

BATCH NUMBERS – Cont.		Mix 97	Mix 98	Mix 99	Mix 100	Mix 101	Mix 102	Mix 103	Mix 104
Surecote 200 Resin:									
Surecote 200 Hardener:									
Vessca Powder:									
		Mix 105	Mix 106	Mix 107	Mix 108	Mix 109	Mix 110	Mix 111	Mix 112
Surecote 200 Resin:									
Surecote 200 Hardener:									
Vessca Powder:									
		Mix 113	Mix 114	Mix 115	Mix 116	Mix 117	Mix 118	Mix 119	Mix 120
Surecote 200 Resin:									
Surecote 200 Hardener:									
Vessca Powder:									
		Mix 121	Mix 122	Mix 123	Mix 124	Mix 125	Mix 126	Mix 127	Mix 128
Surecote 200 Resin:									
Surecote 200 Hardener:									
Vessca Powder:									
		Mix 129	Mix 130	Mix 131	Mix 132	Mix 133	Mix 134	Mix 135	Mix 136
Surecote 200 Resin:									
Surecote 200 Hardener:									
Vessca Powder:									
		Mix 137	Mix 138	Mix 139	Mix 140	Mix 141	Mix 142	Mix 143	Mix 144
Surecote 200 Resin:									
Surecote 200 Hardener:									
Vessca Powder:									
		Mix 145	Mix 146	Mix 147	Mix 148	Mix 149	Mix 150	Mix 151	Mix 152
Surecote 200 Resin:									
Surecote 200 Hardener:									
Vessca Powder:									
		Mix 153	Mix 154	Mix 155	Mix 156	Mix 157	Mix 158	Mix 159	Mix 160
Surecote 200 Resin:									
Surecote 200 Hardener:									
Vessca Powder:									
		Mix 161	Mix 162	Mix 163	Mix 164	Mix 165	Mix 166	Mix 167	Mix 168
Surecote 200 Resin:									
Surecote 200 Hardener:									
Vessca Powder:									
		Mix 169	Mix 170	Mix 171	Mix 172	Mix 173	Mix 174	Mix 175	Mix 176
Surecote 200 Resin:									
Surecote 200 Hardener:									
Vessca Powder:									
		Mix 177	Mix 178	Mix 179	Mix 180	Mix 181	Mix 182	Mix 183	Mix 184
Surecote 200 Resin:									
Surecote 200 Hardener:									
Vessca Powder:									
		Mix 185	Mix 186	Mix 187	Mix 188	Mix 189	Mix 190	Mix 191	Mix 192
Surecote 200 Resin:									
Surecote 200 Hardener:									
Vessca Powder:									
		Mix 193	Mix 194	Mix 195	Mix 196	Mix 197	Mix 198	Mix 199	Mix 200
Surecote 200 Resin:									
Surecote 200 Hardener:									
Vessca Powder:									
		Mix 201	Mix 202	Mix 203	Mix 204	Mix 205	Mix 206	Mix 207	Mix 208
Surecote 200 Resin:									
Surecote 200 Hardener:									
Vessca Powder:									
		Mix 209	Mix 210	Mix 211	Mix 212	Mix 213	Mix 214	Mix 215	Mix 216
Surecote 200 Resin:									
Surecote 200 Hardener:									
Vessca Powder:									
		Mix 217	Mix 218	Mix 219	Mix 220	Mix 221	Mix 222	Mix 223	Mix 224
Supascreed Resin:									
Surecote 200 Hardener:									
Vessca Powder:									

TOPCOAT OPTIONS - Revathane - If Required for Additional Protection

Product	BATCH NUMBER		Notes
1 st Topcoat Revathane	Pail 1	
	Pail 2	
	Pail 3	
	Pail 4	
	Pail 5	
	Pail 6	
	Pail 7	
	Pail 8	
	Pail 9	
	Pail 10	

Product	BATCH NUMBER		Notes
2 nd Topcoat Revathane	Pail 1	
	Pail 2	
	Pail 3	
	Pail 4	
	Pail 5	
	Pail 6	
	Pail 7	
	Pail 8	
	Pail 9	
	Pail 10	

TOPCOAT OPTIONS - Supadeck UV Clear - If Required for Additional Protection

Product	Mix Ratio			Notes					
	Element	Full Mix	Part Mix					
	Supadeck UV TC Part A	8 kg						
Supadeck UV TC Part B	0.848 kg								
BATCH NUMBERS		Mix 1	Mix 2	Mix 3	Mix 4	Mix 5	Mix 6	Mix 7	Mix 8
Supadeck UV TC Part A									
Supadeck UV TC Part B									
		Mix 9	Mix 10	Mix 11	Mix 12	Mix 13	Mix 14	Mix 15	Mix 16
Supadeck UV TC Part A									
Supadeck UV TC Part B									
		Mix 17	Mix 18	Mix 19	Mix 20	Mix 21	Mix 22	Mix 23	Mix 24
Supadeck UV TC Part A									
Supadeck UV TC Part B									
		Mix 25	Mix 26	Mix 27	Mix 28	Mix 29	Mix 30	Mix 31	Mix 32
Supadeck UV TC Part A									
Supadeck UV TC Part B									
		Mix 33	Mix 34	Mix 35	Mix 36	Mix 37	Mix 38	Mix 39	Mix 40
Supadeck UV TC Part A									
Supadeck UV TC Part B									
		Mix 41	Mix 42	Mix 43	Mix 44	Mix 45	Mix 46	Mix 47	Mix 48
Supadeck UV TC Part A									
Supadeck UV TC Part B									
		Mix 49	Mix 50	Mix 51	Mix 52	Mix 53	Mix 54	Mix 55	Mix 56
Supadeck UV TC Part A									
Supadeck UV TC Part B									
		Mix 57	Mix 58	Mix 59	Mix 60	Mix 61	Mix 62	Mix 63	Mix 64
Supadeck UV TC Part A									
Supadeck UV TC Part B									

